



Einhell



**CHARGING
SYSTEMS AND
CAR ACCESSORIES**

2018

einhell.com

>>>

FOR THE CAR, SERVICE CENTRE AND GARAGE.



JUMP START-POWER BANKS
see pages 14 - 19



**IMPACT WRENCHES
CAR HAMMER SCREWDRIVER**
see pages 24 - 25



COMPRESSORS
see pages 30 - 34



HIGH PRESSURE CLEANERS
see pages 38 - 39



BATTERY CHARGERS
see pages 4 - 13



POLISHING MACHINES
see pages 26 - 28



BOOSTER CABLES
see pages 20 - 21



CORDLESS VACUUMS
see pages 36 - 37



CORDLESS LIGHTS
see page 29



TROLLEY JACK
see page 35

TABLE OF CONTENTS

Microprocessor-Controlled Battery Chargers	4 - 11
Analog Battery Chargers	12 - 13
Jump Start-Power Banks	14 - 19
Booster Cables	20 - 21
Everything for the car	22 - 23
Impact Wrenches / Car Hammer Screwdriver	24 - 25
Polishing Machines	26 - 27
Polishing Machines – Accessories	28
Cordless Lights	29
Compressed Air Technology	30 - 33
Compressed Air Technology – Accessories	34
Trolley Jack	35
Cordless Vacuum Cleaners	36 - 37
High Pressure Cleaners	38
High Pressure Cleaners – Accessories	39



SIMPLE

Not a car expert? Never mind! It couldn't be easier: Attach the clamps to the car battery, insert the plug into the socket – that's it. The charger does everything else on its own.

INTELLIGENT

The charger first analyses the battery and initiates the appropriate charging process. Afterwards it maintains the optimal battery charge.

SAFE

Overload, short circuit and reverse polarity protection eliminate the risk of application errors. Dust and splash water protection prevents damage caused by exposure to ambient conditions.

OUR INTELLIGENT ALLROUNDERS.

THE EINHELL MICROPROCESSOR-CONTROLLED BATTERY CHARGERS ARE INTELLIGENT SYSTEMS DESIGNED FOR A WIDE RANGE OF APPLICATIONS.

There are many possible reasons for a flat car battery: many short trips which do not give the battery time to recharge, the increasing number and complexity of on-board electrical and electronic systems, extended periods when seasonal vehicles are not used, low temperatures in the winter or simply forgetting to switch off the lights. Help is on hand with the Einhell battery chargers, ideally with microprocessor control. They charge all gel, AGM, low-maintenance and maintenance-free lead-acid batteries in nearly every kind of vehicle – from scooters up to caravans. They are safe and easy to use and they are equipped with intelligent-controlled electronics. They provide all functions and features needed to ensure user-friendly operation and safe handling of batteries for a long battery life.

INTELLIGENT CHARGERS. FULLY AUTOMATIC, USER-FRIENDLY AND GENTLE ON THE BATTERY.



EASY TO USE



EXTENDED BATTERY LIFE



SAFE TO USE



OPTIMAL STATE OF
CHARGE AT ALL TIMES



ALL-PURPOSE CHARGERS



WINTER CHARGING MODE



RECOVERY OF
DEEP-DISCHARGED BATTERIES



INCREASE AND MAINTAIN
BATTERY CAPACITY

QUALITY IN THE DETAILS.

EASY TO USE

Attach the clamps to the car battery and insert the plug into the socket – the charger does the rest all on its own.

EXTENDED BATTERY LIFE

- Intelligent charging technology: Charge status analysis – multi-stage charging process – trickle charge. This is good for the battery and ensures long battery life.
- Charge batteries on a regular basis – using the right charger significantly extends battery life.

SAFE TO USE

- No risk of making application errors: Thanks to automatic overload, short circuit and reverse polarity protection and automatic 6 V/12 V voltage adjusting.
- Depending on the model, the chargers have dust and splash water protection, making them safe to use outdoors.

OPTIMAL CHARGE AT ALL TIMES

Trickle charging function continuously maintains optimal voltage level. Ideal particularly for seasonal vehicles and machines such as convertibles, oldtimers, scooters, motorcycles, caravans, quads and lawn mowers.

ALL-PURPOSE CHARGERS

- Can be used for all 6 V and 12 V gel, AGM, low-maintenance and maintenance-free lead-acid batteries.
- Wide range of different functions: gentle charging of the battery, fast charging function, trickle charging.

WINTER CHARGING MODE

A higher charging voltage is needed at low temperatures. The process is automatically optimised during winter charging mode.









RECOVERY OF DEEP-DISCHARGED BATTERIES

The built-in recovery function can restore deep-discharged batteries with intact cells.

INCREASE AND MAINTAIN BATTERY CAPACITY

Repeated charging increases battery capacity and extends battery life.

THE RIGHT CHARGER FOR EVERY USE.

Charging time (hours)**	CC-BC 2 M	CC-BC 4 M	CC-BC 6 M	CC-BC 10 M	CC-BC 15 M	 *
 2 h	●	●	●	●	●	4 Ah
 6 h	●	●	●	●	●	12 Ah
 9 h	●	●	●	●	●	18 Ah
 45 Ah	●	●	●	●	●	45 Ah
 70 Ah	●	●	●	●	●	70 Ah
 100 Ah	●	●	●	●	●	100 Ah
 120 Ah	●	●	●	●	●	120 Ah
 145 Ah	●	●	●	●	●	145 Ah
 180 Ah	●	●	●	●	●	180 Ah

● Very suitable ● Suitable ● Less suitable ● Not suitable

iInfo

Chargers with microprocessor control are suitable for gel, AGM, low-maintenance and maintenance-free lead-acid batteries.

Select the charger that matches the size of your battery. The higher the charge current (A) provided by the charger, the faster the battery gets charged. A charger which provides a charging current equal to 1/10 of the battery capacity is ideal.
60 Ah → 6 A.

* Frequently installed battery sizes


** Charging times are subject to variation. The times given assume that battery charging takes place at the maximum current output of the charger. The charging time also depends on the battery charge state.

INTELLIGENT CHARGING TECHNOLOGY.

CHARGING CYCLE OF MICROPROCESSOR-CONTROLLED BATTERY CHARGERS.

- 1 **Status check (State of Health):**
Checks the battery and calculates the charging parameters. Based on the results, the charger initiates the most suitable charge mode.
- 2 **Rescue function:**
Battery recovery using low, pulsating charging current.
- 3 **Pre-charging:**
Activates the battery with impulse charging.
- 4 **Main charging:**
Constant, maximum charging current until battery reaches 80% capacity.
- 5 **Absorption charge:**
Charging with decreasing current until battery reaches 100% capacity.
- 6 **Charging performance check:**
Charging complete with temporary surveillance of the charging performance.

- 7 **Post charging:**
Charge optimisation.
- 8 **Trickle charging / maintenance charging:**
Maintains battery capacity at 95-100 % and monitors battery voltage. As necessary, the charger generates a charge pulse to keep the battery fully charged.





CC-BC 2 M



CC-BC 4 M



CC-BC 6 M



CC-BC 10 M



CC-BC 15 M



Technical data

Mains voltage (50 Hz)	220 - 240 V	220 - 240 V	220 - 240 V	220 - 240 V	220 - 240 V
Charging voltage	6 V / 12 V	6 V / 12 V	6 V / 12 V	6 V / 12 V	6 V / 12 V
Suitable for batteries (min. / max. Ah)	3 - 60 Ah	3 - 120 Ah	3 - 150 Ah	3 - 200 Ah	3 - 300 Ah
Charging current at 6 V	max. 2 A	max. 2 A	max. 2 A	max. 2 A	max. 2 A
Charging current at 12 V	max. 2 A	min. 2 A / max. 4 A	min. 2 A / max. 6 A	min. 2 A / max. 10 A	min. 2 A / max. 15 A
Boost engine output (rms)	-	-	-	-	max. 100 A – 5 sec
Protection against dust and splash water	✓	✓	-	-	-
Package dimensions (l x w x h)	147 x 68 x 242 mm	147 x 68 x 242 mm	172 x 78 x 228 mm	207 x 111 x 254 mm	328 x 330 x 210 mm
Product weight	0.3 kg	0.4 kg	0.6 kg	0.9 kg	7.9 kg
Article No.	10.022.11	10.022.21	10.022.31	10.022.41	10.022.61

EAN



4 006825 614268



4 006825 614275



4 006825 614282



4 006825 614299



4 006825 614312



ANALOG BATTERY CHARGERS.

SIMPLY SOLID.

The name Einhell stands for many years of experience in charging technology. The broad product portfolio includes the right conventional charger for nearly any user and application.

The advantages:

- Uncomplicated, solid battery chargers
- Inexpensive to purchase

These chargers are not suitable for gel and AGM batteries.





CC-BC 5



CC-BC 8



Technical data		
Mains voltage (50 Hz)	230 V	230 V
Charging voltage	12 V	6 V / 12 V
Electronics with charge voltage limiting (overload protection)	-	-
Suitable for batteries (min. / max. Ah)	16 - 80 Ah	3.7 - 120 Ah
Charging current (rms) at 6 V	-	min. 0.85 A / max. 8 A
Charging current (rms) at 12 V	5 A	min. 1.2 A / max. 6.5 A
Charging current (rms) at 24 V	-	-
Boost engine output (rms) max.	-	-
Package dimensions (l x w x h)	212 x 193 x 126 mm	212 x 190 x 126 mm
Product weight	2.1 kg	2.2 kg
Article No.	10.561.21	10.231.21
EAN	 4 006825 612660	 4 006825 612677

CC-BC 10 E



CC-BC 12



CC-BC 15








CC-BC 22 E



CC-BC 30



230 V	230 V	230 V	230 V	230 V
12 V	12 V	6 V / 12 V / 24 V	12 V	6 V / 12 V / 24 V
integrated	-	-	integrated	-
5 - 200 Ah	26 - 200 Ah	10 - 300 Ah	5 - 300 Ah	3 - 400 Ah
-	-	min. 6.5 A / max. 15 A	-	min. 0.9 A / max. 30 A
10 A	12 A	min. 8 A / max. 15 A	min. 7 A / max. 22 A	min. 1.6 A / max. 30 A
-	-	min. 7 A / max. 10 A	-	min. 3 A / max. 20 A
-	-	-	-	100 A – 5 sec
212 x 192 x 126 mm	211 x 193 x 127 mm	326 x 257 x 176 mm	330 x 255 x 170 mm	425 x 330 x 225 mm
2.8 kg	3.3 kg	5.5 kg	6.8 kg	11.0 kg
10.508.21	10.567.21	10.750.31	10.031.31	10.781.21
 4 006825 613186	 4 006825 613193	 4 006825 613209	 4 006825 612684	 4 006825 612691



COMPACT

2-in-1 handy helper in your vehicle: handy jump start and power bank in one.

POWERFUL

The car battery is dead? No help is in sight? The autonomous compact jump starters will get nearly any car started.

VERSATILE

Power bank for a wide range of devices including mobile phones, tablets, notebooks and cameras.

THE COMPACT JUMP STARTERS.

THE 2-IN-1 EINHELL JUMP START-POWER BANKS - COMPACT AND POWERFUL.

The jump start-power bank is a must have in every car – thanks to its use as power source it's the perfect companion for travelling. With a single unit, you can jump start the car when the battery is dead and you can also quickly and easily charge mobile phones, laptops, cameras, notebooks, etc.



EINHELL JUMP START-POWER BANKS

Virtually indispensable in the car: the power bank is a handy jump starter in case of vehicle breakdown, and you can also use it to charge your mobile phone, tablet and other devices.



SMARTCELLCONTROL

- Maximum battery capacity
- Optimum output at all times
- Maximum battery life



JUMP START

- For dead car batteries
- Jump starting without external help



DOUBLE TEMPERATURE MONITORING

- Maximum user safety
- Perfect protection against damage



LED WORK LIGHT

- Highly useful in emergencies:
- Steady-on to provide illumination
 - Strobe light or SOS emergency signal light in case of accident/breakdown



POWER BANK

Power bank / mobile power supply for mobile phones, tablets, laptops, cameras, etc.



NO RISK OF APPLICATION ERRORS

Thanks to the reverse polarity protection

LED charge status indicator

LED work light

USB adapter cable
Micro and Mini USB for charging mobile phones, tablets, cameras, etc.

12 V | 200 A or 300 A jump start
for dead/flat car batteries

Power output 19 V | 3.5 A
e. g. for laptops



Power output 12 V | 10 A
e. g. for air compressors

Input
for 230 V power supply or
12 V charging cable with
cigarette lighter plug (included)

USB outlet
Charge mobile phones, smart phones,
tablets, cameras, MP3 players, etc.

Features	CC-JS 8	CC-JS 12	CC-JS 18
Jump start function	✓	✓	✓
LED charge status indicator	✓	✓	✓
LED work light	✓	✓	✓
Incl. USB adapter cable (Micro and Mini USB)	✓	✓	✓
Incl. adapter cable with 8 different notebook adapters	-	✓	✓
Incl. jump start cables	✓	✓	✓
Incl. 230 V charging adapter	✓	✓	✓
Incl. 12 V charging cable with cigarette lighter plug	✓	✓	✓

**NEW GENERATION STARTING IN
AUTUMN/WINTER 2018**



CC-JS 8



CC-JS 12



CC-JS 18



Technical data

Capacity	3 x 2500 mAh	3 x 3700 mAh	3 x 6000 mAh
Start voltage	12V	12V	12V
Start current / peak current	200 A / 400 A	200 A / 400 A	300 A / 600 A
USB connection	5 V / 2 A	5 V / 2 A	5 V / 1 und 2 A
Auxiliary output	-	12V 10 A / 19V 3.5 A	12V 10 A / 19V 3.5 A
Charge time (hours)	3	4	6
Article No.	10.915.10	10.915.20	10.915.30

EAN







SAFE

The built-in electronic protection system prevents harmful voltage peaks, guaranteeing the safety of the jump starting function. Fully insulated clamps provide extra protection.

PRACTICAL

Compact, easily stored in a carrying bag, always to hand for emergencies.

SIMPLE

Not complicated or difficult to use. Simply attach the jumper cables properly and you are ready to go.

BT-BO 16/1 A



BT-BO 25/1 A



BT-BO 16/1 A LED SP



BT-BO 25/1 A LED SP



Technical data

For petrol engines up to max.	2500 cm ³	5500 cm ³	2500 cm ³	5500 cm ³
For diesel engines up to max.	-	3000 cm ³	-	3000 cm ³
Cable length	3000 mm	3500 mm	3000 mm	3500 mm
Cable cross section	19.4 mm ²	31.4 mm ²	19.4 mm ²	31.4 mm ²
Testing current	220 A	350 A	220 A	350 A


Features

Fully insulated clamps	✓	✓	✓	✓
Electronic protection	-	-	✓	✓
Carrying bag	✓	✓	✓	✓
LED lighting	-	-	✓	✓

Article No.	20.303.35	20.303.45	20.303.60	20.303.65
--------------------	-----------	-----------	-----------	-----------

EAN





COMPRE- HENSIVE

The Einhell product range includes everything you need to take good care of your car and carry out maintenance and repairs.

TOP QUALITY

The Einhell quality campaign gives you the assurance of brand-name quality at best prices across the board.

SIMPLE

Einhell equipment features uncompromising simplicity for general-purpose use.

THE RIGHT EQUIPMENT FOR MORE DRIVING PLEASURE.

**DRIVING IS MORE FUN WHEN YOUR CAR IS IN TIP-TOP SHAPE AND WELL
LOOKED-AFTER.**

People who love their cars take good care of them and perform regular maintenance to keep the vehicles in tip-top technical condition, to avoid early wear and reduce the risk of breakdown. Einhell has everything they need including impact drivers, compressors, jacks for changing tyres, pressure cleaners, polishing machines for the bodywork and vacuum cleaners for the car interior.

IMPACT SCREWDRIVERS

TOTALLY SIMPLE, MAKING AN IMPACT.

Twice a year, the time comes to change the tyres. Most people hate doing this. With impact drivers, changing tyres has never been easier – you get it done fast with minimum exertion.

Another scenario that no one likes to think about: Imagine having a flat tyre when you are on the road. Wouldn't it be great not to wait for the arrival of the breakdown service? With a cordless impact driver (TE-CW 18 Li BL) in the car or a CC-HS 12 which is powered from the vehicle electrical system (can be connected to the cigarette lighter or directly to the battery), it is no longer a problem.

FAST AND MINIMAL EXERTION.

With Einhell impact drivers, changing tyres is no longer a terrifying experience, no matter whether you are changing from summer to winter tyres or vice versa or if you have a flat tyre in the middle of nowhere.



TE-CW 18 Li BL - Solo



CC-IW 950






CC-IW 450



CC-HS 12



Technical data	Cordless Impact Wrench	Impact Wrench	Impact Wrench	Car Hammer Screwdriver
Li-Ion battery voltage / Rated voltage	18 V	-	-	12 V
Mains voltage / power rating	-	230 - 240 V 50 Hz / 950 W	230 - 240 V 50 Hz / 450 W	-
Idle speed	0 - 2900 min ⁻¹	2300 min ⁻¹	2600 min ⁻¹	-
Max. torque	215 Nm	450 Nm	300 Nm	260 Nm (Max. loosening torque)
Tool fixation	External square 12.7 mm (½")	External square 12.7 mm (½")	External square 12.7 mm (½")	External square 12.7 mm (½")
Cable length	-	2000 mm	2000 mm	3700 mm
Product weight	1.1 kg	3.4 kg	2.4 kg	1.4 kg
Features				
Member of the PXC family	✓	-	-	-
Brushless motor	✓	-	-	-
Clockwise / counter-clockwise operation	✓	✓	✓	✓
Soft grip	✓	✓	✓	-
Included in delivery	Bit adapter	4 socket wrench bits (17, 19, 21, 22 mm), case	4 socket wrench bits (17, 19, 21, 22 mm)	4 socket wrench bits (17, 19, 21, 22 mm), 1 adapter cable for direct to the car battery, case
Article No.	45.100.40	42.599.50	20.483.04	20.483.03
EAN	 4 006825 616323	 4 006825 609349	 4 006825 626186	 4 006825 614121

* Supplied without battery and charger (available separately)



POLISHING MACHINES

PUTTING ON A SHINE.

New shine on any vehicle. Polishing machines produce brilliant results with minimum effort. Regular polishing makes your car more fun to drive and maintains its value. The general-purpose angle polishers can also be used for painted surfaces and floors. Depending on the attachment and speed setting, the polishers even get simple grinding sanding work done on wood, metal and plastic.

CE-CB 18/254 Li - Solo

CC-PO 90

CC-PO 1100/1 E

CC-PO 1100/2 E


Technical data				
Li-Ion battery voltage	18 V	-	-	-
Mains voltage	-	230 V 50 Hz	230 V 50 Hz	230 V 50 Hz
Power rating	-	90 W	1100 W	1100 W
Oscillating speed or Idling speed	2500 min ⁻¹	3700 min ⁻¹	1000 - 3500 min ⁻¹	1000 - 3500 min ⁻¹
Polishing or sanding/grinding disc	Ø 254 mm	Ø 240 mm	Ø 180 mm	Ø 180 mm
Product weight	1.9 kg	1.9 kg	2.5 kg	2.3 kg
Features				
Member of the PXC family	✓	-	-	-
Ergonomic Soft grip	✓	-	✓	✓
On/Off switch	✓	✓	✓	✓
Speed control electronics, Spindle lock	-	-	✓	✓
Included in delivery	1 textile polishing bonnet, 1 synthetic polishing bonnet	1 textile polishing bonnet, 1 synthetic polishing bonnet	1 foam plastic pad, 2 synthetic polishing bonnets, 6 abrasive papers (2 ea. 60 / 80 / 120 grit size), case	1 foam plastic pad, 1 synthetic polishing bonnet, 3 abrasive papers (1 ea. 60 / 80 / 120 grit size)
Article No.	20.933.01	20.931.73	20.932.64	20.932.65
EAN	 4 006825 626599	 4 006825 614145	 4 006825 614169	 4 006825 614176

* Supplied without battery and charger (available separately)



POLISHING BONNETS



**POLISHING BONNETS /
ABRASIVE PAPERS**



Can be used for	CE-CB 18/254 Li / CC-PO 90	CC-PO 1100/1 E / CC-PO 1100/2 E
Scope of delivery	1 textile polishing bonnet, 1 synthetic polishing bonnet	1 foam plastic pad, 2 synthetic polishing bonnets, 6 abrasive papers (2 ea. 60 / 80 / 120 grit size)
Article No.	20.930.95	20.932.33
EAN	 4 006825 631517	 4 006825 551846

CORDLESS LIGHTS

IN THE RIGHT LIGHT.

The cordless lamps provide plenty of light when you are working in the dark or in areas with poor lighting. They are equipped with high performance LEDs, in order to provide a long life span and luminance. The lamps have very low power consumption and continue to provide lighting for an extremely long time. The compact design and swivel heads provide optimal illumination. The cordless lamps are part of the Einhell Power X-Change range and can be powered by all batteries from other Power X-Change family products.



TE-CL 18 Li - Solo



TE-CL 18 Li H - Solo



Technical data		
Li-Ion battery voltage	18 V	18 V
Luminosity	270 lm	280 lm
Light source	3 LEDs	1 LED
Light ON time	8 h (with 1.5 Ah battery)	8 h (with 1.5 Ah battery)
Product weight	0.2 kg	0.2 kg
Features		
Member of the PXC family	✓	✓
Angle adjustment	✓	✓
Adjustable light beam	✓	-
Article No.	45.141.10	45.141.30
EAN	 4 006825 600032	 4 006825 610451

* Supplied without battery and charger (available separately)

COMPRESSED AIR TECHNOLOGY

APPLYING REAL PRESSURE.

Compressors can be used for numerous jobs around the home, garden, garage and at the building site. A pneumatic compressor can be used for pumping up tyres, cleaning, applying paint or assembly work. The Einhell product range includes various compressors in different sizes.



CC-AC 12 V



CC-AC 35/10 12 V



Technical data

Rated voltage	12 V	12 V
Operating pressure max.	18 bar	10 bar
Length pressure hose	450 mm	1500 mm
Manometer	0 - 18 bar	0 - 10 bar
Spare adapters included	3 Stück	4 Stück
Product weight	0.6 kg	1.9 kg
Article No.	20.721.12	20.721.21

EAN



4 006825 614114



4 006825 618327

TC-AC 190/8 KIT



TC-AC 190/6/8 OF



TH-AC 240/50/10 OF



CLASSIC

Technical data

Mains voltage	220 - 240 V 50 Hz	230 V 50 Hz	230 V 50 Hz
Max. engine power (S3 S3%)	1100 W 15 %	1100 W 25 %	1500 W 25 %
Operating pressure max.	8 bar	8 bar	10 bar
Suction power	190 l/min	185 l/min	240 l/min
Output rate 0 / 4 / 7 bar	165 / 83 / 55 l/min	139 / 77 / 60 l/min	173 / 107 / 76 l/min
Product weight	5.3 kg	9.2 kg	22.3 kg
Article No.	40.205.36	40.204.95	40.103.93

EAN



6-IN-1 HYBRID COMPRESSOR

COMPRESSED AIR HAS A NAME – PRESSITO.

The best of both worlds: Battery and mains operation. The hybrid compressor combines the best performance features of reliable mains operation and mobile battery operation. The high-pressure pump makes the compressor ideal for pumping up car/ motorcycle/bicycle tyres and items such as sport balls at home or on the go. The low-pressure pump enables air mattresses or rubber dinghies to be inflated in next to no time. The low-pressure suction function helps make quick work of deflating.



EXPERT

PRESSITO



NEW



Technical data	
Member of the PXC family	✓
Li-Ion battery voltage	18 V
Mains connection	220 - 240 V 50 Hz
Max. Engine power	90 W
Max. operating pressure	11 bar
Max. suction capacity	21 l/min
Max. output power 0 4 7 bar	16 / 10 / 8 l/min
Product weight	2.2 kg
Article No.	40.204.60
EAN	 4 006825 627244

* Supplied without battery and charger (available separately)



**TYRE
PRESSURE
GAUGE**



**PRO TYRE
PRESSURE
GAUGE**



**DIGITAL
TYRE
PRESSURE
GAUGE**



**PNEUMATIC
IMPACT
PRESSURE
SCREWDRIVER**



**AIR TOOLS
SET, 3 PCS**



**AUTOMATIC
HOSE ROLLER**



Technical data					
Type	-	-	-	DSS 260/2	-
Items supplied	1 pc	1 pc	1 pc	1 pc	3 pcs
Working pressure	0 - 8 bar	0 - 8 bar	0 - 13 bar	max. 6,3 bar	0 - 8 bar (tyre pressure gauge)
Torque	-	-	-	312 Nm	-
Display	analog	analog	digital	-	analog (tyre pressure gauge)
Article No.	41.370.00	41.331.10	41.331.15	41.389.10	41.327.41
EAN	 4 006825 411164	 4 006825 574173	 4 006825 625738	 4 006825 504361	 4 006825 417050

Technical data	
Type	DLST 9+1
Items supplied	1 pc
Working pressure	max. 12 bar
Length	9 m + 1 m
Article No.	41.380.00
EAN	 4 006825 509564



TROLLEY JACK


HANDY HELPER PACKED WITH POWER.

The CC-TJ 2000 trolley jack is a stable and mobile hydraulic car jack with 2 tons of lifting power. With its up to 33 cm lifting height, versatile works can be executed quickly in workshops and garages. Thereby, the support plate and the lift rod grant a safer and easier lifting of the load. Damages caused by overload are prevented reliably due to the integrated safety valve. The two ball-bearing castors allow simple manoeuvring, and the car jack can simply be transported due to its practical handle.



CC-TJ 2000



Technical data	
Lifting power	2 t
Stroke height min.	135 mm
Stroke height max.	330 mm
Features	
2 ball bearing castors	✓
Removable lift rod	✓
Integrated safety valve against overloading	✓
Integrated handle	✓
Article No.	20.117.79
EAN	 4 006825 623451



CORDLESS HANDHELD VACUUM CLEANER


**MAKING CLEAN WORK
OF IT.**

The Einhell TE-VC 18 Li cordless handheld vacuum cleaner is a member of the Einhell Power X-Change family. It is very convenient to use and packs plenty of power. The vac comes with the attachments you need for fast, thorough cleaning of any surface. The compact shape and lightweight design make cleaning the car interior child's play.



TE-VC 18 Li - Solo



Technical data	
Li-Ion battery voltage	18 V
Suction power	42 mbar
Tank volume	0,54 l
Running time	approx. 40 min (with 5.2 Ah battery)
Product weight	0.9 kg
Features	
Member of the PXC family	✓
Included in delivery	Crevice nozzle, Upholstery nozzle, Floor nozzle, Extension tube 460 mm
Article No.	23.471.20
EAN	 4 006825 612646

* Supplied without battery and charger (available separately)



CORDLESS WET AND DRY VACUUM CLEANER

CLEANING THE CAR THE EASY WAY.

The Einhell TC-VC 18/20 Li - Solo cordless wet and dry vacuum cleaner is also a member of the Power X-Change series. All the rechargeable batteries and chargers in the system can be used with every product in the series.

The cordless vac is ideal for cleaning the car outdoors where no mains power is available.




CLASSIC

TC-VC 18/20 Li S - Solo



NEW

Technical data	
Li-Ion battery voltage	18 V
Suction power max.	80 mbar
Suction hose length	1,5 m
Tank volume	20 l
Product weight	5.2 kg
Features	
Member of the PXC family	✓
Blower connector for areas which are difficult to reach	✓
Handy accessories holder	✓
Plastic suction hose and three-part extension tube	✓
Included in delivery	Suction hose, crevice nozzle, upholstery nozzle, floor nozzle, foam filter, dry filter, filter bag
Article No.	23.471.30
EAN	 4 006825 625998

CAR CLEANING SET



Properties

Consisting of soft upholstery nozzle, hard upholstery nozzle, long crevice nozzle, car nozzle, suction hose 3 m

23.512.45



4 006825 630121

* Supplied without battery and charger (available separately)

CLEANING SYSTEMS

MIGHTY CLEAN.

Einhell's high pressure cleaners are high-quality and powerful. Ambitious cleaning works everywhere in the garden, yard or garage can be executed quickly, comfortably and thoroughly. The central handgrip and the stable wheels allow simple transport (depending on the model). The high pressure cleaners care for maximum mobility and can also be stowed in a place-saving way due to their compact construction. The Easy Accessories Package and on the two larger models the Basic Accessories Package with terrace cleaner and a point/wide jet nozzle are included in the set.

TC-HP 1334






TC-HP 1538 PC



TC-HP 2042 PC



CLASSIC

Technical data			
Mains voltage	220 - 240 V 50 Hz	220 - 240 V 50 Hz	220 - 240 V 50 Hz
Power rating	1300 W S1	1500 W S1	2000 W S1
Max. working pressure	100 bar	110 bar	150 bar
Delivery rate	340 l/h	380 l/h	420 l/h
Hose length	3000 mm	5000 mm	6000 mm
Product weight	5.4 kg	8.3 kg	9.1 kg
Features			
Carry handle	✓	✓	✓
Storage possibility	✓	✓	✓
Easy Accessories Package	✓	✓	✓
Basic Accessories Package	-	✓	✓
Article No.	41.407.10	41.407.20	41.407.30
EAN	 4 006825 602791	 4 006825 602807	 4 006825 602821

EASY ACCESSORIES PACKAGE

Included with all high pressure cleaners



Pressure hose

Spray container

Lance

Rotating nozzle

Pivoted pistol

BASIC ACCESSORIES PACKAGE

Included with selected high pressure cleaners



Point/wide jet nozzle

Terrace cleaner

EXTENSION HOSE



ANGLE NOZZLE







ROTATING WASHING BRUSH



WASHING BRUSH



Type	HPH 6	HPAN 90	HPRB 15	HPWB 17
Technical data	Length 6000 mm	-	Ø 150 mm	Width 170 mm
Article No.	41.440.06	41.440.07	41.440.09	41.440.08
EAN	 4 006825 605402	 4 006825 605426	 4 006825 605792	 4 006825 605457





CHARGING SYSTEMS AND CAR ACCESSORIES 2018



Einhell Germany AG

Wiesenweg 22
94405 Landau/Isar

info@einhell.de
www.einhell.de

Service:

iSC GmbH, Eschenstr. 6,
94405 Landau/Isar
Deutschland

einhell.com

