

GARDEN 2018

Lawn and Soil Care |
Tree and Shrub Care |
Watering and Drainage



einhell.com

>>>

Einhell – The brand that is rapidly gaining traction. As seen online and in print.

Einhell would like to say thanks to its customers and trading partners.

Einhell uses a professional media mix, including traditional print advertising, a search engine optimized online presence, Facebook etc. ... to strengthen the brand and drive demand.

Einhell is a highly professional commercial partner:

- Strong products
- Strong promotions
- Strong price/performance ratio
- Strong sales support

Einhell. Online.

www.einhell.com

Facebook

Youtube

Instagram

Google+

YouTube



Einhell. Print.

- All major DIY magazines
- Daily newspapers

Einhell – the dynamic people who make things happen.

Einhell 2018

Now more awesome than ever.

We supply quality at the best price plus service and design. Our brand is authentic, credible, suitable for the mass market and the traditional market and comes with a good ROI.

- **New product categorization system: Classic · Expert · Expert Plus**
- **Strong marketing campaigns**
- **Innovative new products in high-growth market segments**

Einhell. The new Einhell promise.

Along with dependable quality, comprehensive services and outstanding value for money, the Einhell brand also stands for freedom, convenience, safety and inspiration when you carry out your projects. We don't see limits, we see possibilities, and this is the mindset that we have towards both our fellow workers and customers and trading partners every day. Join the dynamic people who make things happen and make the most of our Einhell promise.


Einhell – Germany's dynamic brand for gardening and DIY.

- **Worldwide distribution**
- **German quality and service**
- **Persuasive product breadth**

The innovative brand that is rapidly gaining traction
Ultra-profitable value for money products

CLASSIC EXPERT EXPERT PLUS

Einhell's product categorization system is targeted straight at the fast-growing and highly promising mid-price segment.



The product categorization system from Einhell makes it easy for you and your customers to find their way round quickly. All packaging features appealing product and usage pictures, multilingual explanations and a uniform Einhell brand facing in the high-grade Einhell brand design.



Power X-Change

The PXC Master Battery System	6
Petrol Lawn Mowers (PXC Electric Start)	17
Cordless Lawn Mowers	18
Cordless Scarifier/Aerator	20
Cordless Tiller	20
Cordless Scythe	21
Cordless Lawn Trimmers	23
Cordless Grout Cleaner	24
Cordless Hedge Trimmers	25
Cordless Multifunctional Tool	26
Cordless Pole-Mounted Pruner	27
Cordless Telescopic Hedge Trimmer	27
Cordless Chainsaw	28
Cordless Chain Sharpener	28
Cordless Leaf Vacuum	29
Cordless Leaf Blowers	30
Cordless Grass and Shrub Shears	31
Cordless Pruning Saw	31
Power X-Change – Accessories	32

Garden

Lawn and Soil Care	34
Manual Lawn Mowers	35
Electric Lawn Mowers	36
Petrol Lawn Mowers	40
Electric Scarifiers/Aerators	45
Petrol Scarifiers/Aerators	46
Garden Roller	47
Electric Grout Cleaner	47
Electric Lawn Trimmers	48
Petrol Lawn Trimmer	49
Petrol Scythes	51
Petrol Tillers	53
Electric Tillers	53
Tree and Shrub Care	54
Electric Hedge Trimmers	55
Petrol Hedge Trimmers	56
Cordless Grass and Shrub Shears	57
Cordless Pole Mounted Pruner	58
Electric Pole Mounted Pruners	58
Electric Telescopic Hedge Trimmers	59
Electric Multifunctional Tool	59
Electric Chainsaws	61
Petrol Chainsaws	61
Electric Chain Sharpeners	62
Woodworking – Accessories	62
Electric Leaf Vacuums	63
Petrol Backpack Leaf Blower	63
Garden Shredder	64
Electric Roller Shredders	64

Watering

Watering and Drainage	66
Aquasensor Dirty Water Pumps	69
Aquasensor Clear Water Pump	70
2-in-1 Multipurpose Pumps	73
ECO Submersible Pumps Dirty/Clear Water	74
Dirty Water Pumps	74
Clear Water Pumps	76
Rasin Barrel Pump	77
Deep Well Pumps	79
Submersible Pressure Pumps	79
Garden Pumps	80
Automatic Water Works	82
Water Works	83
Petrol Water Pumps	85
Watering – Accessories	86

Accessories / Spare Parts	88
----------------------------------	-----------

Sales Support	96
----------------------	-----------

Service	98
----------------	-----------



THE UNIVERSAL RECHARGE- ABLE BATTERY SYSTEM FROM EINHELL

POWER X-CHANGE – ONE RECHARGEABLE BATTERY FITS ALL TOOLS.

The new Power X-Change technology makes the nuisance of cables that are too short, the space wasted by countless batteries and chargers and the searching for devices that belong together a thing of the past. Every rechargeable battery in this high-performance series fits every device in the Power X-Change family – and the chargers too, of course.

You can choose between buying the devices in a set with one or two rechargeable batteries, or without rechargeable batteries and chargers. If you already have a Power X-Change rechargeable battery and charger at home you can simply buy the devices without batteries.

So you save money and help protect the environment.





POWER X-CHANGE – THE BENEFITS TO YOU.

ONE RECHARGEABLE BATTERY FITS ALL TOOLS

You now just need a single rechargeable battery* for every job in and around the home.

» Read more on p. 8

MAXIMUM SAFETY

Specially developed battery design and quality components ensure maximum appliance safety and safety for the user.

» Read more on p. 9

POSITIVE FOR THE ENVIRONMENT

Fewer batteries and chargers means reduced consumption of energy and resources.

» Read more on p. 10

POWER X-CHANGE PLUS

You want even more quality, performance and power? Then the Power X-Change Plus system is the right choice.

» Read more on p. 11

BRUSHLESS MOTORS

Longer running times, longer service life and maintenance-free thanks to brushless energy in diverse Power X-Change devices.

» Read more on p. 12

SYSTEMATIC SAVINGS

Use just a **single** rechargeable battery to run every device, i.e. no costs for batteries or chargers as from the second Power X-Change article onwards.

SERVICE-PROVEN LITHIUM-ION TECHNOLOGY

The Power X-Change system contains only rechargeable batteries with advanced lithium-ion technology.

TWIN-PACK[®] TECHNOLOGY

If a device needs more power than provided by a single rechargeable battery, we simply fit two batteries. We call it Twin-Pack[®] technology.



* 2x 18 V rechargeable batteries are needed for 36 V devices





ONE RECHARGEABLE BATTERY FITS ALL TOOLS

... FOR THE WORKSHOP AND GARDEN.

With the Power X-Change rechargeable battery system from Einhell you can run every device with just one and the same rechargeable battery. Be it a tool or garden equipment – **one** rechargeable battery* is all you need.

Finished with gardening? You then take the battery out of your lawn mower and put it into your eccentric grinder/sander. So now you can get your workshop projects done too.

* 2x 18 V rechargeable batteries are needed for 36 V devices



POWER X-CHANGE

MAXIMUM SAFETY

The Power X-Change system as a system meets the highest safety standards. It provides safety in every component:



HIGH-QUALITY BATTERY CELLS



PERFECTED BATTERY PACKS



**INTELLIGENT,
MICROPROCESSOR-CONTROLLED
BATTERY MANAGEMENT SYSTEM**



**DEVICES ARE SPECIALLY DESIGNED FOR
OPTIMUM USE WITH THE BATTERIES**



**SAFE AND ADVANCED CHARGING
TECHNOLOGY**





POSITIVE FOR THE ENVIRONMENT

POWER X-CHANGE – THE SYSTEM FOR MORE SUSTAINABILITY.



FEWER BATTERIES AND CHARGERS

Reduced consumption of energy and resources.



SUSTAINABLE USE OF ENERGY

Efficient battery control and lithium-ion technology reduce energy consumption.



JUST 1 SYSTEM FOR ALL TOOLS

One rechargeable battery fits all tools for the workshop and garden. **One** 18 V rechargeable battery system for all applications – can be used in combination for 36 V requirements*.



LONGER SERVICE LIFE

Products that last longer don't need replacing as often. Buying replacements less often protects resources.



MORE ENVIRONMENTALLY FRIENDLY THAN PETROL

Zero emissions during operation.



BRUSHLESS MOTORS

Various Power X-Change devices are equipped with brushless motors. These ensure long running times and service lives and are maintenance-free.

* 2x 18 V rechargeable batteries are needed for 36 V devices



RESOURCE CONSERVATION FOR TOMORROW'S WORLD.

Einhell ECO Power technology features in many of our tools and much of our garden equipment. This significantly reduces

product energy consumption and emissions. Technical know-how and pro-active responsibility for our environment are the

essence of ecological and sustainable products.





POWER X-CHANGE PLUS

THE LATEST LITHIUM-ION GENERATION.

The Power X-Change Plus system rechargeable battery generation offers even more advantages than the service-proven Power X-Change rechargeable batteries.

+ EVEN LONGER RUNNING TIMES

Battery housing with ribs made of heat-conductive plastic provides optimum cooling. The device can run for longer if the battery is cooler. This is supported further by modern cells with higher capacities.

+ EVEN LONGER SERVICE LIFE

The housing design without ventilation apertures protects the “insides” of the battery against dust and corrosion. This extends the service life of the battery.


+ EVEN MORE POWER

Twice the number of high-performance transistors fitted inside makes higher discharge currents possible and therefore more power for each application.


+ IMPROVED MATERIALS

The use of modern, improved materials means that the new rechargeable batteries are optimized in many ways. The batteries deliver enhanced performance, last longer and are safer.

New
addition to
the range



* 5.2 Ah Power X-Change Plus rechargeable battery compared to a 2.0 Ah Power X-Change rechargeable battery



** 5.2 Ah Power X-Change Plus rechargeable battery compared to a 5.2 Ah Power X-Change rechargeable battery of the first generation





BRUSHLESS MOTORS

MORE EFFICIENT WORK WITH BRUSHLESS ENERGY

Various Power X-Change devices are equipped with brushless motors. These ensure long running times and a long service life and are maintenance-free.

+ MORE POWER

Very low loss through friction – much higher torque, much higher level of efficiency.

+ LONGER RUNNING TIMES

No energy wasted operating the brushes - optimum energy yield. Much longer running times for each battery charge means having to recharge far less often. That saves electricity – and saving electricity means: protecting the environment!

+ LONGER SERVICE LIFE

Less friction, lower operating temperature, less wear. Devices with brushless motors last longer. Over the same time you would need to dispose of several replacement devices and buy new ones. In this way you save resources – which is good for your wallet and the environment.

+ MORE COMPACT DESIGN

More compact motors – more compact housing. Devices with slimline designs are better to hold and are easier and more ergonomic to handle.

+ MAINTENANCE-FREE

No need to replace carbon brushes ever again. Conventional motors need replacement carbon brushes from time to time. With brushless devices there is no need for that. So you save time and money and protect resources.



+ 25%
more power*

+ 50%
more operating time*

+ 100%
more service life*

* Approximate values in comparison to conventional carbon brush motors





THE POWER X-CHANGE BATTERY ADVISOR. WHICH KEY PERFORMANCE INDICATORS ARE CRITICAL?

To estimate the performance capability of battery operated devices, a number of key performance indicators need to be taken into account.

Watts (W)

Watt (W) = Battery power

For a car this is the same as the kW (or HP) power rating of the engine.

Example: The cordless chainsaw with the 1260 W rechargeable battery (18 V | 5.2 Ah) is suitable for felling small and medium sized trees; the 450 W battery (18 V | 2.0 Ah) is more suitable for pruning work in the garden.

Watthours (Wh)

Watthours (Wh) = Energy that the rechargeable battery can supply. This is comparable with the capacity of the petrol tank in a car and therefore the distance that can be driven.

Example: The 94 Wh rechargeable battery (18 V | 5.2 Ah) enables a drill/screwdriver to handle twice as many screws as the 47 Wh battery (18 V | 2.6 Ah) (under identical conditions).

Volts (V) and ampere-hours (Ah)

Volts (V) = Unit of measurement for the electrical voltage


Ampere-hours (Ah) = Unit of measurement for the electrical charge (also: capacity)

These two values are often given for rechargeable batteries, but do not actually tell you much about the performance capacity of the batteries – at least not without further technical values.

If both values are multiplied ($V \times Ah = Wh$), this provides a more meaningful value (as above with the “Watthours”).



W
= Power of rechargeable batteries. Equivalent to the engine power, i.e. the HP/kW rating.




Wh
= Energy content of rechargeable batteries. Equivalent to the petrol tank capacity in a car.





OPTIMUM BATTERY CONFIGURATION FOR EVERY APPLICATION

The right rechargeable battery for your preferred application? Choose the optimum combination of handling comfort, power and operating time for your purpose.





BUYING RECHARGEABLE BATTERIES AND CHARGERS SEPARATELY.

You do not want to have to buy a tool set to be able to start using the Power X-Change system? You would like to add further rechargeable batteries to your equipment? Then you can choose the battery that is best suited to your application here.

	Wh*	W**	Art. Nr.
1.5 Ah Power X-Change Battery 18 V	27 Wh	450 W	45.113.40
2.0 Ah Power X-Change Battery 18 V	36 Wh	450 W	45.113.95
3.0 Ah Power X-Change Battery 18 V	54 Wh	900 W	45.113.41
4.0 Ah Power X-Change Battery 18 V	72 Wh	900 W	45.113.96



New
addition to the range

2.6 Ah Power X-Change Plus Battery 18 V	47 Wh	720 W	45.114.36
5.2 Ah Power X-Change Plus Battery 18 V	94 Wh	1260 W	45.114.37



Starter Kit (1.5 Ah Battery + High Speed Charger)	45.120.21
Starter Kit (2.0 Ah Battery + High Speed Charger)	45.120.40
Starter Kit (3.0 Ah Battery + High Speed Charger)	45.120.41
Starter Kit (4.0 Ah Battery + High Speed Charger)	45.120.42



Power X-Charger – High Speed System Charger	45.120.11
Power X-Twin Charger 3 A	45.120.69
Power X-Boost Charger 6 A	45.120.64

New
addition to the range



iInfo


THE RIGHT POWER

In order to guarantee the best performance, we recommend the use of batteries with a capacity of 900 W (3.0 Ah) and more for the following product groups:

- Lawn mowers
- Scarifiers
- Pole-mounted pruners
- Chainsaws
- Angle grinders

* Wh are calculated from the product of voltage (V) and electrical charge (Ah): $V \times Ah = Wh$

** The value given is W_{cc} – in other words, the power which is constantly available. Where more power is required (e.g. knots in wood when sawing boards), much higher values can be achieved for a short time – in some cases many times the given value







PETROL LAWN MOWERS (PXC ELECTRIC START)

5in1
 · MOWING
 · MULCHING
 · SIDE DISCHARGE
 · DEFLECTOR REAR DISCHARGE
 · CATCHING



NEW

EXPERT PLUS



NEW

EXPERT PLUS

PETROL LAWN MOWERS (PXC ELECTRIC START)


	GE-PM 53 S HW-E Li	GE-PM 48 S HW-E Li
Engine / displacement	4-stroke / 173 cm ³	4-stroke / 139 cm ³
Power / working speed	2.8 kW / 2850 min ⁻¹	1.8 kW / 2850 min ⁻¹
Cutting width	53 cm	48 cm
Cutting height adjustment	6 levels / 25 - 70 mm / central	6 levels / 25 - 70 mm / central
Grass box capacity	80 l	75 l
Wheel diameter front / rear	200 mm / 280 mm	200 mm / 280 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1800 m ²	1600 m ²
Product weight	43.8 kg	40.7 kg
5-in-1 function	•	•
Highwheels	•	•
Self-propelling	•	•
Electric start function with PXC battery 18 V / 1.5 Ah	•	•
Lawn comb and integrated carry handle	•	•
Cleaning and storing position	•	•
Vortex Technology deck with hose connection	•	•
Height-adjustable handlebar incl. Soft grip	•	•
Grass box with level indicator	•	•
Cleaning tool	•	•
Article number	3404810	3404800

POWER X-CHANGE ELECTRIC START



Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system – at just the push of a button:

- None of the hassle of starting up with a pull starter
- The rechargeable battery can also be used for other Power X-Change products



POWER X-CHANGE CORDLESS LAWN MOWERS

**36 V
POWER
2 x 18 V**



CORDLESS LAWN MOWERS



EXPERT PLUS



EXPERT PLUS

	GE-CM 36/47 HW Li	GE-CM 43 Li M Kit
Li-Ion Battery Pack	2x 18 V / 4.0 Ah	2x 18 V / 4.0 Ah
Charging time	75 min	75 min
For lawn areas of up to approx.	500 m ² (+ 500 m ²)*	600 m ²
Cutting width	47 cm	43 cm
Cutting height adjustment	6 levels / 30 - 65 mm / central	6 levels / 25 - 75 mm / central
Grass box capacity	75 l	63 l
Wheel diameter front / rear	200 mm / 280 mm	160 mm / 250 mm
Housing material	Steel	Plastic
Product weight	28.6 kg	16.5 kg
Mulching function	•	•
Integrated carry handle	•	•
Brushless motor	•	•
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Wide wheels exert less stress on the lawn	•	•
Number of batteries / number of chargers	2 / 2	2 / 2
Cleaning tool	•	—
Article number	3413160	3413130
		

* With the use of 4x 4.0 Ah rechargeable batteries

DOUBLE TWIN-PACK TECHNOLOGY



Double twin-pack devices have slots for two additional rechargeable batteries. For example, if the GE-CM 36/47 HW Li lawn mower (see above) is equipped with 2x2 4.0 Ah Power X-Change rechargeable batteries, you can mow double the area without recharging:

Twin-pack 2x 18 V = 500 m²




Double twin-pack 2x 18 V + 2x 18 V = 500 m² + 500 m² = 1000 m²

When the power of the first two batteries finally runs out, the control element automatically switches over to the two additional batteries. So you have double the operating time with no unnecessary breaks or the nuisance of changing the batteries over.

**36 V
POWER
2 x 18 V**

CORDLESSLAWNMOWERS



	GE-CM 36 Li M Kit	GE-CM 36 Li Kit	GE-CM 33 Li Kit
Li-Ion Battery Pack	2x 18 V / 3.0 Ah	2x 18 V / 3.0 Ah	2x 18 V / 2.0 Ah
Charging time	60 min	60 min	150 min
For lawn areas of up to approx.	350 m ²	350 m ²	200 m ²
Cutting width	36 cm	36 cm	33 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central	6 levels / 25 - 75 mm / central	5 levels / 25 - 65 mm / central
Grass box capacity	40 l	40 l	30 l
Wheel diameter front / rear	145 mm / 220 mm	145 mm / 220 mm	150 mm / 180 mm
Housing material	Plastic	Plastic	Plastic
Product weight	16.9 kg	16.9 kg	11.9 kg
Mulching function	•	—	—
Integrated carry handle	•	•	•
Brushless motor	—	—	—
Height-adjustable handlebar	•	•	•
Folding handlebar	•	•	•
Grass box with level indicator	•	•	•
Wide wheels exert less stress on the lawn	•	•	•
Number of batteries / number of chargers	2 / 2	2 / 2	2 / 2
Cleaning tool	—	—	—
Article number	3413063	3413060	3413140
			

**LOW WEIGHT
EASY HANDLING**

CORDLESSLAWNMOWERS



	GE-CM 33 Li - Solo	GE-CM 18/30 Li	GE-CM 18/30 Li - Solo
Li-Ion Battery Pack	2x 18 V / —	18 V / 3.0 Ah	18 V / —
Charging time	—	120 min	—
For lawn areas of up to approx.	—	150 m ²	—
Cutting width	33 cm	30 cm	30 cm
Cutting height adjustment	5 levels / 25 - 65 mm / central	3 levels / 30 - 70 mm / axial	3 levels / 30 - 70 mm / axial
Grass box capacity	30 l	25 l	25 l
Wheel diameter front / rear	150 mm / 180 mm	140 mm / 140 mm	140 mm / 140 mm
Housing material	Plastic	Plastic	Plastic
Product weight	12.0 kg	8.0 kg	8.0 kg
Mulching function	—	—	—
Integrated carry handle	•	•	•
Brushless motor	—	•	•
Height-adjustable handlebar	•	—	—
Folding handlebar	•	•	•
Grass box with level indicator	•	—	—
Wide wheels exert less stress on the lawn	•	•	•
Number of batteries / number of chargers	0 / 0	1 / 1	0 / 0
Cleaning tool	—	—	—
Article number	3413142	3413155	3413157
			

POWER X-CHANGE CORDLESS SCARIFIER/AERATOR

**36 V
POWER
2 x 18 V**

**LONG LIFE
STAINLESS STEEL**


POWER X-CHANGE
BRUSHLESS ENERGY
Einhell



EXPERT PLUS

CORDLESS SCARIFIER/AERATOR

	GE-SC 35/1 Li - Solo
Li-Ion Battery Pack	2x 18 V / —
Charging time	—
For lawn areas of up to approx.	400 m ²
Working width	35 cm
Working depth adjustment	central, 3 levels + parking pos.
Number of blades	16 pcs
Wheel diameter front / rear	175 mm / 152 mm
Housing material	Plastic
Product weight	9.8 kg
Wide wheels exert less stress on the lawn	•
Brushless motor	•
Height-adjustable handlebar + parking position	•
Folding handlebar	•
Optional extras (aerator roller / catch bag)	•
Number of batteries / number of chargers	0 / 0
Article number	3420650



4 006825 608151

POWER X-CHANGE CORDLESS TILLER

**36 V
POWER
2 x 18 V**

FOLDING HANDLE


POWER X-CHANGE



EXPERT PLUS

CORDLESS TILLER

	GE-CR 30 Li - Solo
Li-Ion Battery Pack	2x 18 V / —
Charging time	—
For areas of up to approx.	—
Working width	30 cm
Working depth	200 mm
Number of blades	4 pcs
Cultivator blade diameter	200 mm
Housing material	Plastic
Product weight	11.0 kg
Brushless motor	—
Height-adjustable wheels for easy transportation	•
Ergonomic handlebar	•
Folding handlebar	•
Number of batteries / number of chargers	0 / 0
Article number	3431200



4 006825 615203

POWER X-CHANGE **CORDLESS SCYTHE**

**36 V
POWER
2 x 18 V**

**SPLIT-SHAFT
EASY TRANSPORT**



CORDLESS SCYTHE

NEW **AGILLO** **EXPERT PLUS**

Li-Ion Battery Pack	2x 18 V / —
Charging time	—
Max. running time	—
Cutting width (blade)	25.5 cm
Cutting width with thread	30 cm
Thread diameter	2.0 mm
Thread length	8 m
Product weight	6.5 kg
Brushless motor	•
Spindle Lock	•
Adjustable handle	•
Split shaft	•
Bike Handle	•
Electronic speed control	•
Automatic jog line feed	•
Wall bracket	•
Number of batteries / number of chargers	0 / 0
Blades	•
Thread spool	•
Comfort harness	•
Article number	3411320



POWER X-CHANGE CORDLESS LAWN TRIMMER

**36 V
POWER
2 x 18 V**

**SPLIT-SHAFT
EASY TRANSPORT**

POWER X-CHANGE



CORDLESS LAWN TRIMMERS

NEW

EXPERT PLUS

	GE-CT 36/30 Li E - Solo
Li-Ion Battery Pack	2x 18 V / —
Charging time	—
Max. running time	—
Cutting width	30 cm
Thread diameter	2.0 mm
Thread length	8 m
Product weight	4.2 kg
Infinitely adjustable long handle	•
Telescopic long handle, infinitely adjustable	—
Motor head rotateable +/- 90°	—
Motor head can be tilted	—
Flower guard	•
Automatic jog line feed	•
Split shaft	•
Electronic speed control	•
Soft grip	•
Wall bracket	•
Number of batteries / number of chargers	0 / 0
Thread spool	•
Carrying strap	•
Article number	3411300





CORDLESSLAWNTRIMMERS



Li-Ion Battery Pack
Charging time
Max. running time
Cutting width
Product weight
Infinitely adjustable long handle
Telescopic long handle, infinitely adjustable
Motor head rotateable +/- 90°
Motor head can be tilted
Flower guard
Spare blade compartment
Soft grip
Number of batteries / number of chargers
Plastic blades included
Article number

GC-CT 18 Li - Solo
18 V / —
—
—
24 cm
1.8 kg
•
• Telescopic long handle, infinitely adjustable
•
• Motor head rotateable +/- 90°
• (5 settings)
•
• Flower guard
•
• Spare blade compartment
•
• Soft grip
0 / 0
• (20 pcs)
3411172



GC-CT 18 Li Kit
18 V / 2.0 Ah
40 min
55 min
24 cm
2.2 kg
•
•
•
• (5 settings)
•
•
•
•
1 / 1
• (20 pcs)
3411197



CORDLESSLAWNTRIMMERS



Li-Ion Battery Pack
Charging time
Max. running time
Cutting width
Product weight
Infinitely adjustable long handle
Telescopic long handle, infinitely adjustable
Motor head rotateable +/- 90°
Motor head can be tilted
Flower guard
Spare blade compartment
Soft grip
Number of batteries / number of chargers
Plastic blades included
Article number

GC-CT 18/24 Li - Solo
18 V / —
—
—
24 cm
1.8 kg
•
•
•
•
•
•
•
•
•
•
•
0 / 0
• (20 pcs)
3411123



GC-CT 18/24 Li P
18 V / 1.5 Ah
120 min
40 min
24 cm
1.2 kg
—
—
—
—
—
—
—
—
1 / 1
• (20 pcs)
3411102



POWER X-CHANGE CORDLESS GROUT CLEANER






EXPERT PLUS



EXPERT PLUS

CORDLESSGROUTCLEANER

	GE-CC 18 Li Kit	GE-CC 18 Li - Solo
Li-Ion Battery Pack	18 V / 2.0 Ah	18 V / —
Charging time	40 min	—
Max. running time	45 min	—
Diameter of brush	10 cm	10 cm
Product weight	2.4 kg	2.0 kg
Infinitely adjustable long handle	•	•
Telescopic long handle, infinitely adjustable	•	•
Guide wheel	•	•
Soft grip	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Steel brush incl.	•	•
Nylon brush incl.	•	•
Article number	3424051	3424050
	 4 006825 618396	 4 006825 615982





CORDLESS HEDGE TRIMMERS



CORDLESS HEDGE TRIMMERS

EXPERT PLUS

EXPERT PLUS

	GE-CH 1855/1 Li Kit	GE-CH 1855/1 Li - Solo
Li-Ion Battery Pack	18 V / 2.0 Ah	18 V / —
Charging time	40 min	—
Max. running time	80 min	—
Bar length	620 mm	620 mm
Cutting length	550 mm	550 mm
Spacing between teeth	18 mm	18 mm
Product weight	2.6 kg	2.4 kg
Turnable rear handle	•	•
Adjustable Ergo-Grip at the front	•	•
Cutting collector	•	•
Laser-cut and diamond-ground blades	•	•
Metal gearing	•	•
Soft grip	•	•
Aluminium cover over cutters	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Protective cover with wall mount	•	•
Article number	3410503	3410502



CORDLESS HEDGE TRIMMERS

EXPERT PLUS

EXPERT PLUS

	GE-CH 1846 Li Kit	GE-CH 1846 Li - Solo
Li-Ion Battery Pack	18 V / 2.0 Ah	18 V / —
Charging time	40 min	—
Max. running time	80 min	—
Bar length	520 mm	520 mm
Cutting length	460 mm	460 mm
Spacing between teeth	15 mm	15 mm
Product weight	2.3 kg	2.0 kg
Turnable rear handle	—	—
Adjustable Ergo-Grip at the front	—	—
Cutting collector	—	—
Laser-cut and diamond-ground blades	•	•
Metal gearing	•	•
Soft grip	•	•
Aluminium cover over cutters	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Protective cover with wall mount	•	•
Article number	3410683	3410642



CORDLESS MULTIFUNCTIONAL TOOL



FITTED WITH
OREGON
CHAIN AND BAR

LONG LASTING SHARPNESS
LASERCUT & DIAMOND GROUND



EXPERT PLUS



EXPERT PLUS

CORDLESS MULTIFUNCTIONAL TOOL

	GE-HC 18 Li T Kit	GE-HC 18 Li T - Solo
Li-Ion Battery Pack	18 V / 3.0 Ah	18 V / —
Charging time	60 min	—
Max. running time	40 min	—
Bar length (chainsaw)	200 mm	200 mm
Chain cutting speed	3.76 m/s	3.76 m/s
Max. cutting length hedge trimmer	450 mm	450 mm
Spacing between teeth (hedge Trimmer)	16 mm	16 mm
Product weight	6.3 kg	3.9 kg
Continuously adjustable telescopic aluminium handle	•	•
Main handle + motor head tiltable by several settings	•	•
OREGON quality bar and chain	•	•
Toolless chain tensioning and changing	•	•
Pivotal attachment for effortless horizontal cuts	•	•
Automatic chain lubrication	•	•
Laser-cut and diamond-ground blades	•	•
Adjustable second handle	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Article number	3410805	3410800

LONG LASTING SHARPNESS
LASERCUT & DIAMOND GROUND



NEW **EXPERT PLUS**

Hedge Trimmer
GE-LC 18 Li T
1.4 kg
3410818



FITTED WITH
OREGON
CHAIN AND BAR



NEW **EXPERT PLUS**

Pole Pruner
GE-HH 18/45 Li T
1.2 kg
3410835



CORDLESS POLE-MOUNTED PRUNER ACCESSORY

CORDLESS TELESCOPIC HEDGE TRIMMER ACCESSORY

Can be used for
Product weight
Article number

Can be used for
Product weight
Article number

POWER X-CHANGE

TELESCOPIC HEDGE TRIMMER

LONG LASTING SHARPNESS
LASERCUT & DIAMOND GROUND

POWER X-CHANGE





EXPERT PLUS

POWER X-CHANGE



EXPERT PLUS

CORDLES TELESCOPIC HEDGE TRIMMER

	GE-HH 18/45 Li T Kit	GE-HH 18/45 Li T - Solo
Li-Ion Battery Pack	18 V / 3.0 Ah	18 V / -
Charging time	60 min	-
Max. running time	40 min	-
Bar length	450 mm	450 mm
Cutting length	400 mm	400 mm
Spacing between teeth	16 mm	16 mm
Product weight	4.9 kg	4.3 kg
Continuously adjustable telescopic aluminium handle	•	•
Main handle + motor head tiltable by several settings	•	•
Laser-cut and diamond-ground blades	•	•
Metal gearing	•	•
Adjustable second handle	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Article number	3410865	3410866
		

POWER X-CHANGE

POLE-MOUNTED PRUNER



FITTED WITH
OREGON
CHAIN AND BAR

POWER X-CHANGE





EXPERT PLUS

POWER X-CHANGE



EXPERT PLUS

CORDLESS POLE-MOUNTED PRUNER

	GE-LC 18 Li T Kit	GE-LC 18 Li T - Solo
Li-Ion Battery Pack	18 V / 3.0 Ah	18 V / -
Charging time	60 min	-
Max. running time	60 min	-
Bar length	200 mm	200 mm
Cutting length	170 mm	170 mm
Cutting speed	3.76 m/s	3.76 m/s
Product weight	4.6 kg	4.0 kg
Continuously adjustable telescopic aluminium handle	•	•
Main handle + motor head tiltable by several settings	•	•
OREGON quality bar and chain	•	•
Toolless chain tensioning and changing	•	•
Pivotable attachment for effortless horizontal cuts	•	•
Automatic chain lubrication	•	•
Claw stop	•	•
Metal gearing	•	•
Adjustable second handle	•	•
Number of batteries / number of chargers	1 / 1	0 / 0
Article number	3410815	3410810
		



CORDLESS CHAINSAWS

FITTED WITH
OREGON
CHAIN AND BAR

POWER X-CHANGE

BRUSHLESS
ENERGY

**36 V
POWER
2 x 18 V**

POWER X-CHANGE

POWER X-CHANGE



CORDLESS CHAINSAWS

	NEW	EXPERT PLUS	EXPERT PLUS	EXPERT PLUS
	GE-LC 36/35 Li - Solo	GE-LC 18 Li Kit	GE-LC 18 Li - Solo	
Li-Ion Battery Pack	2x 18 V / —	18 V / 3.0 Ah	18 V / —	
Charging time	—	60 min	—	
Max. running time	—	100 cuts / 70 x 70 mm timber	—	
Bar length	350 mm	250 mm	250 mm	
Cutting length	330 mm	230 mm	230 mm	
Cutting speed	15 m/s	4.3 m/s	4.3 m/s	
Oil tank capacity	120 ml	200 ml	200 ml	
Product weight	3.9 kg	3.0 kg	2.9 kg	
OREGON quality bar and chain	•	•	•	
Toolless chain tensioning and changing	•	•	•	
Automatic chain lubrication	•	•	•	
Sturdy stop claws made of metal	•	•	•	
Kickback protection with mechanical instant chain brake	•	•	•	
Chain catch bolt	•	•	•	
Soft grip	•	•	•	
Large oil filler opening	•	•	•	
Number of batteries / number of chargers	0 / 0	1 / 1	0 / 0	
Protective cover	•	•	•	
Article number	4501780	4501760	4501761	



CORDLESS CHAIN SHARPENER

POWER X-CHANGE



EXPERT PLUS

CORDLESS CHAIN SHARPENER

	GE-CS 18 Li - Solo
Li-Ion Battery Pack	18 V / —
Charging time	—
Max. running time	—
Grinding wheel diameter (inside)	23 mm
Grinding wheel diameter (outside)	108 mm
Grinding wheel thickness	3.2 mm
Product weight	1.7 kg
Depth stop	•
Scala for precise setting of the grinding angle	•
LED light	•
Clamping device	•
Number of batteries / number of chargers	0 / 0
Article number	4499940

POWER X-CHANGE

CORDLESS LEAF VACUUM

**36 V
POWER
2 x 18 V**



EXPERT PLUS

CORDLESSLEAFVACUUM

	GE-CL 36 Li E - Solo
Li-Ion Battery Pack	2x 18 V / –
Charging time	–
Max. running time	–
Max. blowing air flow	210 km/h
Max. suction power	720 m³/h
Max. blow velocity	195 m³/h
Idle speed	8000 - 13000 min ⁻¹
Shredding function	10:1
Product weight	3.4 kg
Toolless change-over suction/blasting function	•
Brushless motor	•
Electronic speed control	•
Adjustable second handle	•
Debris bag with window	•
Carrying strap	•
Wheels	•
Soft grip	•
Number of batteries / number of chargers	0 / 0
Article number	3433600



BRUSHLESS ENERGY – BRUSHLESS MOTORS

BRUSHLESS ENERGY
Einhell



+ 25%
more power*

+ 50%
more operating time*

+ 100%
more service life*



- ! MORE POWER
- ! LONGER OPERATING TIMES
- ! LONGER SERVICE LIFE
- ! MORE COMPACT, ERGONOMIC CONSTRUCTION
- ! MAINTENANCE-FREE

* Approximate values in comparison to conventional carbon brush motors

POWER X-CHANGE

CORDLESS LEAF BLOWERS



CORDLESS LEAF BLOWERS

	GE-LB 36 Li E - Solo	GE-CL 18 Li E Kit	GE-CL 18 Li E - Solo
Li-Ion Battery Pack	2x 18 V / —	18 V / 2.0 Ah	18 V / —
Charging time	—	40 min	—
Max. running time	—	14 - 240 min	—
Max. blowing air flow	150 km/h	210 km/h	210 km/h
Max. blow velocity	816 m ³ /h	105 m ³ /h	105 m ³ /h
Idle speed	21000 min ⁻¹	12000 min ⁻¹	12000 min ⁻¹
Product weight	2.5 kg	1.7 kg	1.3 kg
Brushless motor	•	—	—
Electronic speed control	•	•	•
Carrying strap	•	—	—
Soft grip	•	•	•
Number of batteries / number of chargers	0 / 0	1 / 1	0 / 0
Article number	3433610	3433533	3433532



CORDLESS LEAF BLOWERS

	GE-CL 18 Li Kit
Li-Ion Battery Pack	18 V / 1.5 Ah
Charging time	30 min
Max. running time	10 min
Max. blowing air flow	210 km/h
Max. blow velocity	105 m ³ /h
Idle speed	12000 min ⁻¹
Product weight	1.7 kg
Brushless motor	—
Electronic speed control	—
Carrying strap	—
Soft grip	•
Number of batteries / number of chargers	1 / 1
Article number	3433500



CORDLESS GRASS/SHRUB SHEARS



CORDLESS GRASSANDSHRUBSHEARS

EXPERT PLUS

	GE-CG 18 Li - Solo
Li-Ion Battery Pack	18 V / —
Charging time	—
Max. running time	—
Cutting width with grass shear blade	100 mm
Cutting length with shrub cutting blade	200 mm
Spacing between teeth of shrub cutting blade	8 mm
Product weight	0.7 kg
Blade change without tools	•
Laser-cut blades	•
Metal gearing	•
Soft grip	•
Number of batteries / number of chargers	0 / 0
Article number	3410370



CORDLESS PRUNING SAW



CORDLESSPRUNINGSAW

EXPERT PLUS

	GE-GS 18 Li - Solo
Li-Ion Battery Pack	18 V / —
Charging time	—
Max. running time	—
Saw blade length	150 mm
Cutting capacity with branch handle	70 mm
Cutting capacity without branch handle	90 mm
Product weight	1.1 kg
KWB High-quality saw blade	•
Blade change without tools	•
Removable branch handle	•
Soft grip	•
Long-life metal gearing	•
Number of batteries / number of chargers	0 / 0
Article number	3408220



POWER X-CHANGE – ACCESSORIES



POWER X-CHANGE ACCESSORIES

Items supplied	1 Li-Ion battery + 1 charger
Battery voltage	18 V
Battery energy	27 Wh
Battery power	450 W
Battery capacity	1.5 Ah
Article number	4512021

1.5 Ah PXC Starter Kit
1 Li-Ion battery + 1 charger
18 V
27 Wh
450 W
1.5 Ah
4512021

2.0 Ah PXC Starter Kit
1 Li-Ion battery + 1 charger
18 V
36 Wh
450 W
2.0 Ah
4512040



POWER X-CHANGE ACCESSORIES

Items supplied	1 Li-Ion battery + 1 charger
Battery voltage	18 V
Battery energy	54 Wh
Battery power	900 W
Battery capacity	3.0 Ah
Article number	4512041

3.0 Ah PXC Starter Kit
1 Li-Ion battery + 1 charger
18 V
54 Wh
900 W
3.0 Ah
4512041

4.0 Ah PXC Starter Kit
1 Li-Ion battery + 1 charger
18 V
72 Wh
900 W
4.0 Ah
4512042



POWER X-CHANGE ACCESSORIES

Items supplied	1 charger
Can be used for	PXC batteries (18 V)
Charging current	3.0 A
Multiple charger	–
Integrated wall mount	•
Article number	4512011

Power X-Charger
1 charger
PXC batteries (18 V)
3.0 A
–
•
4512011

Power X-Twin Charger 3 A
1 charger
PXC batteries (18 V)
3 A per slot (parallel charging)
•
•
4512069

Power X-Boost Charger 6 A
1 charger
PXC batteries (18 V)
PXC: 3 - 4 A; PXC Plus: 3 - 6 A
–
•
4512064



POWER X-CHANGE ACCESSORIES

POWER X-CHANGE



POWER X-CHANGE



POWER X-CHANGE



	2.0 Ah PXC Battery	3.0 Ah PXC Battery	4.0 Ah PXC Battery
Items supplied	1 Li-Ion battery	1 Li-Ion battery	1 Li-Ion battery
Battery voltage	18 V	18 V	18 V
Battery energy	36 Wh	54 Wh	72 Wh
Battery power	450 W	900 W	900 W
Battery capacity	2.0 Ah	3.0 Ah	4.0 Ah
Article number	4511395	4511341	4511396

POWER X-CHANGE ACCESSORIES

POWER X-CHANGE



POWER X-CHANGE



	2.6 Ah PXC Battery	5.2 Ah PXC Battery
Items supplied	1 Li-Ion battery	1 Li-Ion battery
Battery voltage	18 V	18 V
Battery energy	47 Wh	94 Wh
Battery power	720 W	1260 W
Battery capacity	2.6 Ah	5.2 Ah
Article number	4511436	4511437

WHICH BATTERY GETS CHARGED UP BY WHICH CHARGER AND HOW FAST?

	Art. Nr.	1.5 Ah PXC Battery*	2.0 Ah PXC Battery	3.0 Ah PXC Battery	4.0 Ah PXC Battery	2.6 Ah PXC Plus Batt.	5.2 Ah PXC Plus Batt.
Power X-Charger	4512011	4511340	4511395	4511341	4511396	4511436	4511437
Power X-Twin Charger 3 A	4512069	30 min	40 min	60 min	75 min	55 min	100 min
Power X-Boost Charger 6 A	4512064						
Power X-Boost Charger 6 A (Boost Mode)	4512064	24 min	30 min	32 min	40 min	30 min	50 min
Power X-Charger 1.5 A*	4512068	60 min	80 min	120 min	160 min	110 min	215 min

* Not available separately



MANUAL LAWN MOWERS



EXPERT



EXPERT

MANUAL LAWN MOWERS

	GE-HM 38 S-F	GE-HM 38 S
Cutting width	38 cm	38 cm
Cutting height adjustment	4 levels / 13 - 38 mm	4 levels / 13 - 38 mm
Grass box capacity	26 l	—
Number of mowing blades	5	5
Mowing spindle diameter	125 mm	125 mm
Wheel diameter	220 mm	220 mm
For lawn areas of up to approx.	250 m ²	250 m ²
Product weight	8.4 kg	7.8 kg
Wide wheels exert less stress on the lawn	•	•
Parking position	•	•
Height-adjustable handlebar	•	•
Contactless	•	•
Catch bag	•	—
Article number	3414161	3414165



CLASSIC



CLASSIC

MANUAL LAWN MOWERS

	GC-HM 40	GC-HM 30
Cutting width	40 cm	30 cm
Cutting height adjustment	4 levels / 15 - 35 mm	Continuously / 15 - 42 mm
Grass box capacity	27 l	16 l
Number of mowing blades	5	5
Mowing spindle diameter	125 mm	125 mm
Wheel diameter	218 mm	218 mm
For lawn areas of up to approx.	250 m ²	150 m ²
Product weight	7.2 kg	6.5 kg
Wide wheels exert less stress on the lawn	•	•
Parking position	•	•
Height-adjustable handlebar	—	—
Contactless	—	—
Catch bag	•	•
Article number	3414127	3414112

ELECTRIC LAWN MOWERS



ELECTRIC LAWN MOWERS

	GE-EM 1843 HW M	GE-EM 1843 HW	GE-EM 1536 HW M
Mains connection / rated input	230 V ~ 50 Hz / 1800 W	230 V ~ 50 Hz / 1800 W	230 V ~ 50 Hz / 1500 W
Cutting width	43 cm	43 cm	36 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central	6 levels / 25 - 75 mm / central	6 levels / 25 - 75 mm / central
Grass box capacity	63 l	63 l	40 l
Wheel diameter front / rear	160 mm / 245 mm	160 mm / 245 mm	145 mm / 220 mm
Housing material	Plastic	Plastic	Plastic
For lawn areas of up to approx.	800 m ²	800 m ²	600 m ²
Product weight	21.0 kg	21.0 kg	13.3 kg
Mulching function	•	—	•
Highwheels	•	•	•
Integrated carry handle	•	•	•
Cable-relief clip	•	•	•
Height-adjustable handlebar	•	•	•
Folding handlebar	•	•	•
Quick clamping function	•	•	•
Grass box with level indicator	•	•	•
Wide wheels exert less stress on the lawn	•	•	•
Article number	3400182	3400181	3400295



ELECTRIC LAWN MOWERS

	GE-EM 1536 HW	GE-EM 1233 M	GE-EM 1233
Mains connection / rated input	230 V ~ 50 Hz / 1500 W	220 - 240 V ~ 50 Hz / 1250 W	220 - 240 V ~ 50 Hz / 1250 W
Cutting width	36 cm	33 cm	33 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central	5 levels / 20 - 60 mm / central	5 levels / 20 - 60 mm / central
Grass box capacity	40 l	30 l	30 l
Wheel diameter front / rear	145 mm / 220 mm	135 mm / 135 mm	135 mm / 135 mm
Housing material	Plastic	Plastic	Plastic
For lawn areas of up to approx.	600 m ²	300 m ²	300 m ²
Product weight	13.3 kg	11.1 kg	11.1 kg
Mulching function	—	•	—
Highwheels	•	—	•
Integrated carry handle	•	•	•
Cable-relief clip	•	•	•
Height-adjustable handlebar	•	•	•
Folding handlebar	•	•	•
Quick clamping function	•	•	•
Grass box with level indicator	•	•	•
Wide wheels exert less stress on the lawn	•	•	•
Article number	3400294	3400193	3400192



ELECTRICLAWNMOWERS

	GC-EM 1742	GC-EM 1536	GC-EM 1030
Mains connection / rated input	230 - 240 V ~ 50 Hz / 1700 W	220 - 240 V ~ 50 Hz / 1500 W	220 - 240 V ~ 50 Hz / 1000 W
Cutting width	42 cm	36 cm	30 cm
Cutting height adjustment	6 levels / 20 - 65 mm / central	5 levels / 25 - 65 mm / central	3 levels / 30 - 70 mm / axial
Grass box capacity	50 l	38 l	25 l
Wheel diameter front / rear	150 mm / 230 mm	140 mm / 200 mm	140 mm / 140 mm
Housing material	Plastic	Plastic	Plastic
For lawn areas of up to approx.	700 m ²	600 m ²	300 m ²
Product weight	11.8 kg	10.0 kg	11.2 kg
Mulching function	—	—	—
Highwheels	•	•	—
Integrated carry handle	•	•	•
Cable-relief clip	•	•	•
Height-adjustable handlebar	•	•	—
Folding handlebar	•	•	•
Quick clamping function	•	•	—
Grass box with level indicator	•	•	—
Wide wheels exert less stress on the lawn	•	•	•
Article number	3400160	3400150	3400122

PROMOTION MODELS




ELECTRICLAWNMOWERS

	GC-EM 1743 HW	GC-EM 1437	GC-EM 1030/1
Mains connection / rated input	230 V ~ 50 Hz / 1700 W	230 V ~ 50 Hz / 1400 W	230 V ~ 50 Hz / 1000 W
Cutting width	43 cm	37 cm	30 cm
Cutting height adjustment	6 levels / 20 - 70 mm / central	3 levels / 25 - 60 mm / axial	3 levels / 25 - 60 mm / single
Grass box capacity	52 l	36 l	28 l
Wheel diameter front / rear	170 mm / 235 mm	140 mm / 170 mm	140 mm / 140 mm
Housing material	Plastic	Plastic	Plastic
For lawn areas of up to approx.	700 m ²	500 m ²	250 m ²
Product weight	13.7 kg	9.3 kg	6.2 kg
Mulching function	—	—	—
Highwheels	•	—	—
Integrated carry handle	•	•	•
Cable-relief clip	•	•	•
Height-adjustable handlebar	•	•	•
Folding handlebar	•	•	•
Quick clamping function	—	—	—
Grass box with level indicator	•	—	—
Wide wheels exert less stress on the lawn	•	•	•
Article number	3400590	3400285	3400240

PETROL LAWN MOWERS

5in1
 · MOWING
 · MULCHING
 · SIDE DISCHARGE
 · DEFLECTOR REAR DISCHARGE
 · CATCHING



PXC-ELECTRIC START

Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system

DEFLECTOR FUNCTION

Cuttings ejected to the rear without a catch basket for maximum grass heights

SIDE DISCHARGE

VORTEX DECK

Special flow-optimized deck with perfect mowing and catching characteristics

EINHELL HANDLE DESIGN

Includes a cleaning and storage position

LEVEL INDICATOR

Timely emptying of the catch basket

CENTRAL HEIGHT ADJUSTMENT

User-friendly cutting height adjustment



Petrol Lawn Mower
GE-PM 53 S HW-E Li

GRASS COMB

Best mowing results, because the grass is straightened prior to cutting

HOSE CONNECTION

Hose connection for standard hoses for cleaning immediately after use

HIGH WHEELS


Better handling in heavy growth and long grass

MULCHING FUNCTION



CLEANING AND STORAGE POSITION

Adjustment option for comfortable cleaning and space-saving storage




EINHELL VORTEX TECHNOLOGY

The metal deck is specially designed for an optimum airflow. Thanks to the special shape, the rotating blade generates strong suction which straightens up the grass before it is cut. Only then is it cut and then shredded with great force in the optimized airflow and ejected afterwards.



Connecting a standard garden hose with quick-release coupling enables the lawn mower to be cleaned with ease by the water which is supplied in combination with the rotation of the cutting blade.



LUSHER GREEN THANKS TO MULCHING

Many Einhell lawn mowers can be converted to a mulch mower by fitting a mulching adapter.

The grass is shredded several times and remains on the turf, where it quickly turns to compost. This fertilizes the lawn, reducing evaporation. That protects the lawn from drying out and provides ideal living conditions for microbes, which provide for melioration of the soil.

Care should be taken to cut the length of the stems by just a third at the most. The cuttings will be shredded more efficiently and drop right through to the ground as a result, so they are less of an intrusion when using the lawn. It also contributes to the formation of side shoots in the lawn. The lawn becomes thicker and more lushly green.



5IN1

- MOWING
- MULCHING
- SIDE DISCHARGE
- DEFLECTOR REAR DISCHARGE
- CATCHING

PETROLLAWN MOWERS
(PXC ELECTRIC START)



NEW **EXPERT PLUS** **NEW** **EXPERT PLUS**

	GE-PM 53 S HW-E Li	GE-PM 48 S HW-E Li
Engine / displacement	4-stroke / 173 cm ³	4-stroke / 139 cm ³
Power / working speed	2.8 kW / 2850 min ⁻¹	1.8 kW / 2850 min ⁻¹
Cutting width	53 cm	48 cm
Cutting height adjustment	6 levels / 25 - 70 mm / central	6 levels / 25 - 70 mm / central
Grass box capacity	80 l	75 l
Wheel diameter front / rear	200 mm / 280 mm	200 mm / 280 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1800 m ²	1600 m ²
Product weight	43.8 kg	40.7 kg
5-in-1 function	•	•
Highwheels	•	•
Self-propelling	•	•
Electric start function with PXC battery 18 V / 1.5 Ah	•	•
Lawn comb and integrated carry handle	•	•
Cleaning and storing position	•	•
Vortex Technology deck with hose connection	•	•
Height-adjustable handlebar incl. Soft grip	•	•
Grass box with level indicator	•	•
Cleaning tool	•	•
Article number	3404810	3404800



5IN1

- MOWING
- MULCHING
- SIDE DISCHARGE
- DEFLECTOR REAR DISCHARGE
- CATCHING



EXPERT

EXPERT

EXPERT

PETROLLAWN MOWERS

	GE-PM 53 VS HW B&S	GE-PM 53 S HW B&S	GE-PM 48 S HW B&S
Engine / displacement	4-stroke B&S 650 E / 150 cm ³	4-stroke B&S 650 E / 150 cm ³	4-stroke B&S 500 E / 140 cm ³
Power / working speed	2.3 kW / 2850 min ⁻¹	2.3 kW / 2850 min ⁻¹	2.0 kW / 2850 min ⁻¹
Cutting width	53 cm	53 cm	48 cm
Cutting height adjustment	6 levels / 25 - 70 mm / central	6 levels / 25 - 70 mm / central	6 levels / 25 - 70 mm / central
Grass box capacity	80 l	80 l	75 l
Wheel diameter front / rear	200 mm / 280 mm	200 mm / 280 mm	200 mm / 280 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1800 m ²	1800 m ²	1600 m ²
Product weight	36.8 kg	36.3 kg	34.0 kg
5-in-1 function	•	•	•
Highwheels	•	•	•
Self-propelling	•	•	•
Variospeed	•	—	—
B&S ReadyStart	•	•	—
Lawn comb and integrated carry handle	•	•	•
Cleaning and storing position	•	•	•
Vortex Technology deck with hose connection	•	•	•
Height-adjustable handlebar incl. Soft grip	•	•	•
Grass box with level indicator	•	•	•
Cleaning tool	•	•	•
Article number	3404761	3404762	3404756





CLASSIC



CLASSIC



CLASSIC

PETROLLAWN MOWERS

	GC-PM 56 S HW	GC-PM 52 S HW	GC-PM 47 S HW
Engine / displacement	4-stroke / 173 cm ³	4-stroke / 173 cm ³	4-stroke / 139 cm ³
Power / working speed	2.8 kW / 2850 min ⁻¹	2.8 kW / 2850 min ⁻¹	1.8 kW / 2850 min ⁻¹
Cutting width	56 cm	52 cm	47 cm
Cutting height adjustment	6 levels / 25 - 70 mm / central	6 levels / 25 - 70 mm / central	6 levels / 25 - 70 mm / central
Grass box capacity	80 l	80 l	75 l
Wheel diameter front / rear	200 mm / 280 mm	200 mm / 280 mm	200 mm / 280 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	2200 m ²	1800 m ²	1400 m ²
Product weight	42.2 kg	41.5 kg	37.7 kg
5-in-1 function	•	•	•
Highwheels	•	•	•
Self-propelling	•	•	•
Lawn comb and integrated carry handle	•	•	•
Cleaning and storing position	•	•	•
Vortex Technology deck	•	•	•
Height-adjustable handlebar	•	•	•
Folding handlebar	•	•	•
Grass box with level indicator	•	•	•
Cleaning tool	•	•	•
Article number	3404765	3404760	3404755



NEW



CLASSIC

NEW

CLASSIC

PETROLLAWN MOWERS

	GC-PM 51 S HW-T	GC-PM 46 S HW-T
Engine / displacement	4-stroke / 196 cm ³	4-stroke / 141 cm ³
Power / working speed	2.8 kW / 2850 min ⁻¹	2.2 kW / 2900 min ⁻¹
Cutting width	51 cm	46 cm
Cutting height adjustment	8 levels / 30 - 80 mm / central	8 levels / 30 - 80 mm / central
Grass box capacity	70 l	70 l
Wheel diameter front / rear	170 mm / 290 mm	170 mm / 290 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1800 m ²	1400 m ²
Product weight	34.1 kg	30.5 kg
Side ejector	•	•
Mulching function	•	•
Self-propelling	•	•
Highwheels	•	•
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Front wheel lockable	•	•
Front wheel lockable on handle	•	•
Grass box with level indicator	•	•
Article number	3404390	3404380



CLASSIC



CLASSIC



CLASSIC

PETROL LAWN MOWERS

	GC-PM 51/2 S HW B&S	GC-PM 46/2 S HW B&S	GC-PM 46/1 S B&S
Engine / displacement	4-stroke B&S 650 E / 150 cm ³	4-stroke B&S 500 E / 140 cm ³	4-stroke B&S 450 E / 125 cm ³
Power / working speed	2.2 kW / 2900 min ⁻¹	1.9 kW / 2900 min ⁻¹	1.7 kW / 2900 min ⁻¹
Cutting width	51 cm	46 cm	46 cm
Cutting height adjustment	6 levels / 30 - 80 mm / central	6 levels / 30 - 80 mm / central	9 levels / 30 - 80 mm / central
Grass box capacity	70 l	70 l	50 l
Wheel diameter front / rear	204 mm / 280 mm	204 mm / 280 mm	178 mm / 216 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1800 m ²	1400 m ²	1400 m ²
Product weight	32.5 kg	29.8 kg	30.0 kg
Side ejector	•	—	—
Mulching function	•	•	—
Highwheels	•	•	•
Self-propelling	•	•	•
B&S ReadyStart	•	—	—
Ball bearing driving wheels	•	—	—
Height-adjustable handlebar	•	—	—
Folding handlebar	•	•	•
Grass box with level indicator	•	•	•
Article number	3404340	3404371	3404585



CLASSIC



CLASSIC

PETROL LAWN MOWERS

	GC-PM 51/2 S HW-E	GC-PM 51/2 S HW
Engine / displacement	4-stroke / 173 cm ³	4-stroke / 173 cm ³
Power / working speed	2.7 kW / 2900 min ⁻¹	2.7 kW / 2900 min ⁻¹
Cutting width	51 cm	51 cm
Cutting height adjustment	6 levels / 30 - 80 mm / central	6 levels / 30 - 80 mm / central
Grass box capacity	70 l	70 l
Wheel diameter front / rear	204 mm / 280 mm	204 mm / 280 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1800 m ²	1800 m ²
Product weight	42.6 kg	37.8 kg
Side ejector	•	•
Mulching function	•	•
Highwheels	•	•
Self-propelling	•	•
Electric start function	•	—
Lawn comb	—	—
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Article number	3404355	3404330





CLASSIC



CLASSIC

PETROL LAWN MOWERS

	GC-PM 46/2 S HW-E	GC-PM 46/2 S HW
Engine / displacement	4-stroke / 139 cm ³	4-stroke / 139 cm ³
Power / working speed	1.9 kW / 3000 min ⁻¹	1.9 kW / 3000 min ⁻¹
Cutting width	46 cm	46 cm
Cutting height adjustment	6 levels / 30 - 80 mm / central	6 levels / 30 - 80 mm / central
Grass box capacity	70 l	70 l
Wheel diameter front / rear	204 mm / 280 mm	204 mm / 280 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1400 m ²	1400 m ²
Product weight	37.8 kg	34.0 kg
Side ejector	—	—
Mulching function	—	•
Highwheels	•	•
Self-propelling	•	•
Electric start function	•	—
Lawn comb	•	•
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Article number	3404365	3404360
		





CLASSIC



CLASSIC

PETROL LAWN MOWERS

	GC-PM 46 S-M	GC-PM 46 S
Engine / displacement	4-stroke / 139 cm ³	4-stroke / 139 cm ³
Power / working speed	1.9 kW / 3000 min ⁻¹	1.9 kW / 3000 min ⁻¹
Cutting width	46 cm	46 cm
Cutting height adjustment	9 levels / 30 - 80 mm / central	9 levels / 30 - 80 mm / central
Grass box capacity	50 l	50 l
Wheel diameter front / rear	178 mm / 204 mm	178 mm / 204 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1400 m ²	1400 m ²
Product weight	30.9 kg	30.6 kg
Mulching function	•	—
Self-propelling	•	•
Height-adjustable handlebar	•	•
Folding handlebar	•	•
Grass box with level indicator	•	•
Article number	3404721	3404720
		



PETROL LAWN MOWERS



CLASSIC



CLASSIC



CLASSIC

	GC-PM 46 M	GC-PM 46	GC-PM 46/3 S
Engine / displacement	4-stroke / 139 cm ³	4-stroke / 139 cm ³	4-stroke / 135 cm ³
Power / working speed	1.9 kW / 3000 min ⁻¹	1.9 kW / 3000 min ⁻¹	2.0 kW / 2900 min ⁻¹
Cutting width	46 cm	46 cm	46 cm
Cutting height adjustment	9 levels / 30 - 80 mm / central	9 levels / 30 - 80 mm / central	7 levels / 30 - 70 mm / central
Grass box capacity	50 l	50 l	55 l
Wheel diameter front / rear	178 mm / 204 mm	178 mm / 204 mm	175 mm / 210 mm
Housing material	Powder-coated sheet steel	Powder-coated sheet steel	Powder-coated sheet steel
For lawn areas of up to approx.	1200 m ²	1200 m ²	1400 m ²
Product weight	28.3 kg	28.0 kg	31.1 kg
Mulching function	•	—	—
Self-propelling	—	—	•
Height-adjustable handlebar	•	•	•
Folding handlebar	•	•	•
Grass box with level indicator	•	•	•
Article number	3404731	3404730	3400727



PETROL LAWN MOWERS



CLASSIC



CLASSIC

	GC-PM 40 S-P	GH-PM 40 P
Engine / displacement	4-stroke / 99 cm ³	4-stroke / 118 cm ³
Power / working speed	1.2 kW / 2900 min ⁻¹	1.6 kW / 2800 min ⁻¹
Cutting width	40 cm	40 cm
Cutting height adjustment	5 levels / 25 - 60 mm / central	3 levels / 32 - 62 mm / single
Grass box capacity	50 l	45 l
Wheel diameter front / rear	150 mm / 210 mm	172 mm / 210 mm
Housing material	Plastic	Plastic
For lawn areas of up to approx.	1000 m ²	800 m ²
Product weight	22.5 kg	23.0 kg
Mulching function	—	—
Self-propelling	•	—
Height-adjustable handlebar	—	—
Folding handlebar	•	•
Grass box with level indicator	•	•
Article number	3404780	3401013

SCARIFIERS / AERATORS

LONG HANDLE

The folding long handle with quick clamping function enables easy and compact storage

CARRY HANDLE

Comfortable transport thanks to the ergonomic carry handle

CENTRAL HEIGHT ADJUSTMENT

Easy and user-friendly adjustment to the desired working depth

QUICK TOOL CHANGE

The scarifier and aerator rollers can be changed quickly using the supplied tools



Electric Scarifier/Aerator
GE-SA 1640

CATCH BAG

The large catch bag means long work sessions are no problem

3IN1
 • SCARIFYING
 • AERATING
 • CATCHING



EXPERT



EXPERT



RED

ELECTRIC SCARIFIERS

	GE-SA 1640	GE-SA 1435	RG-SA 1433
Mains connection / rated input	230 V ~ 50 Hz / 1600 W	230 V ~ 50 Hz / 1400 W	230 V ~ 50 Hz / 1400 W
Working width	400 mm	350 mm	330 mm
Working depth adjustment	central, 4 levels + parking pos.	central, 3 levels + parking pos.	central, 3 levels + parking pos.
Number of blades (ball bearing)	20 pcs	20 pcs	20 pcs
Number of aerating claws (ball bearing)	30 pcs	26 pcs	48 pcs
Wheel diameter front / rear	220 mm / 175 mm	175 mm / 152 mm	175 mm / 152 mm
Housing material	Plastic	Plastic	Plastic
For lawn areas of up to approx.	800 m ²	500 m ²	400 m ²
Product weight	12.5 kg	11.5 kg	12.5 kg
Integrated carry handle	•	•	—
Brushless motor	—	—	—
Height-adjustable handlebar + parking position	•	•	•
Folding handlebar	•	•	•
Quick fasteners	•	•	—
Wide wheels exert less stress on the lawn	•	•	•
Catch bag	•	•	•
Wall bracket	—	—	•
Scarifier roller + aerator roller	•	•	•
Article number	3420590	3420561	3420520





NEW

CLASSIC



NEW

CLASSIC



CLASSIC



CLASSIC

ELECTRIC SCARIFIERS

	GC-SA 1231/1	GC-ES 1231/1	GC-SA 1231	GC-ES 1231
Mains connection / rated input	230 V ~ 50 Hz / 1200 W	230 V ~ 50 Hz / 1200 W	230 V ~ 50 Hz / 1200 W	230 V ~ 50 Hz / 1200 W
Working width	310 mm	310 mm	310 mm	310 mm
Working depth adjustment	central, 3 levels + parking pos.	central, 3 levels + parking pos.	central, 3 levels + parking pos.	central, 3 levels + parking pos.
Number of blades (ball bearing)	8 pcs double blades	8 pcs double blades	8 pcs double blades	8 pcs double blades
Number of aerating claws (ball bearing)	45 pcs	—	42 pcs	—
Wheel diameter front / rear	180 mm / 100 mm	180 mm / 100 mm	170 mm / 60 mm	170 mm / 60 mm
Housing material	Plastic	Plastic	Plastic	Plastic
For lawn areas of up to approx.	300 m ²	300 m ²	300 m ²	300 m ²
Product weight	8.5 kg	8.0 kg	8.2 kg	8.2 kg
Integrated carry handle	•	•	—	—
Brushless motor	—	—	—	—
Height-adjustable handlebar	•	•	—	—
Folding handlebar	•	•	•	•
Quick fasteners	—	—	—	—
Wide wheels exert less stress on the lawn	•	•	•	•
Catch bag	•	—	•	—
Scarifier roller	•	•	•	•
Aerator roller	•	—	•	—
Article number	3420640	3420630	3420620	3420610

PETROL SCARIFIERS



EXPERT



CLASSIC

	GE-SA 1335 P	GC-SC 2240 P
Engine / displacement	4-stroke / 53.2 cm ³	4-stroke / 118 cm ³
Power	1.3 kW	2.2 kW
Working width	350 mm	400 mm
Working depth adjustment	central, 3 levels + parking pos.	central, 8 levels + parking pos.
Number of blades (ball bearing)	20 pcs	18 pcs
Number of aerating claws (ball bearing)	26 pcs	—
Wheel diameter front / rear	175 mm / 150 mm	180 mm / 180 mm
Housing material	Plastic	Metal
For lawn areas of up to approx.	1000 m ²	1200 m ²
Product weight	17.9 kg	30.7 kg
Height-adjustable handlebar + parking position	•	—
Folding handlebar	•	•
Quick fasteners	•	—
Easy roller tool change	•	—
Wide wheels exert less stress on the lawn	•	•
Catch bag	•	•
Scarifier roller	•	•
Aerator roller	•	—
Article number	3420030	3420020


GARDEN ROLLER



GARDEN ROLLER

NEW

CLASSIC

	GC-GR 57
Working width	57 cm
Roller diameter	32 cm
Filling capacity	46 l
Housing material	Coated metal
Product weight	10.5 kg
Filling with sand	•
Filling with water	•
Article number	3415302
 4 006825 627404	


ELECTRIC GROUT CLEANER



ELECTRICGROUTCLEANER

NEW

CLASSIC

	GC-EG 1410
Mains connection / rated input	230 V ~ 50 Hz / 140 W
Diameter of brush	100 mm
Housing material	Plastic
Product weight	1.5 kg
Guide wheel	•
Cable-relief clip	•
Steel brush incl.	•
Nylon brush incl.	•
Article number	3424002
 4 006825 627411	

LAWN TRIMMERS



EXPERT



CLASSIC



CLASSIC

ELECTRICLAWNTRIMMERS

	GC-ET 5027	GC-ET 4530 Set	GC-ET 4025
Mains connection / rated input	230 V ~ 50 Hz / 500 W	230 V ~ 50 Hz / 450 W	230 V ~ 50 Hz / 400 W
Cutting width with thread	270 mm	300 mm	250 mm
Thread diameter / length	1.6 mm / 600 cm	1.4 mm / 1000 cm	1.6 mm / 600 cm
Single / twin line cutting	Single line cutting	Twin line cutting	Single line cutting
Housing material	Plastic	Plastic	Plastic
Product weight	2.7 kg	2.6 kg	2.3 kg
Adjustable second handle	•	•	•
Telescopic long handle	•	•	•
Cable-relief clip	•	•	•
Motor head rotateable	+/- 90°	180°	+/- 90°
Motor head can be tilted	5 settings	4 settings	5 settings
Flower guard	•	•	•
Automatic jog line feed	•	—	•
Fully automatic line feed	—	•	—
Guide wheel	•	—	—
Thread spool	•	• (3 pcs)	•
Article number	3402090	3402022	3402060
			





CLASSIC



CLASSIC

ELECTRICLAWNTRIMMERS

	GC-ET 3023	GC-ET 2522
Mains connection / rated input	230 V ~ 50 Hz / 300 W	230 - 240 V ~ 50 Hz / 250 W
Cutting width with thread	230 mm	220 mm
Thread diameter / length	1.5 mm / 600 cm	1.2 mm / 600 cm
Single / twin line cutting	Single line cutting	Twin line cutting
Housing material	Plastic	Plastic
Product weight	1.5 kg	1.1 kg
Second handle	•	•
Telescopic long handle	—	—
Cable-relief clip	•	•
Motor head rotateable	—	—
Motor head can be tilted	—	—
Flower guard	—	—
Automatic jog line feed	•	•
Fully automatic line feed	—	—
Edge roller	•	—
Thread spool	•	•
Article number	3402050	3402040
		



CLASSIC

PETROL LAWN TRIMMER

	GC-PT 2538 I AS
Engine / displacement	2-stroke / 25.4 cm ³
Power	0.75 kW
Cutting width with thread	380 mm
Thread diameter / length	2 mm / 400 cm
Single / twin line cutting	Twin line cutting
Housing material	Metal
Product weight	5.6 kg
Shaped long handle made of aluminium	•
Split shaft	•
Quick Start	•
Autochoke	•
Centrifugal clutch for cutting tool	•
Automatic jog line feed	•
Spool change without tools	—
Article number	3401935



**POWERTOOLS
ACCESSORY**



	Petrol and Oil Suction Pump
Suction hose length	1.3 m
Collecting container	1.6 l
Article number	3407000



PETROL SCYTHES

BIKE HANDLE

The universally adjustable aluminium handle in bike handle design with integral controls enables ergonomic operation with the maximum possible control

SPLIT SHAFT

User-friendly plug-together system for stowing away quickly and compactly

ALUMINUM SHAFT

Low weight – easy to work with

SPINDLE LOCK SYSTEM

Blade and line spool are easily replaced with just a push of the button

EASY START


For easy starting the power scythe has an auto choke and decompression valve

PROFESSIONAL HIGH COMFORT HARNESS

Complete with harness for comfortable and high power work

ANTI-VIBRATION SYSTEM

3-way rubber shock absorber on handle keeps tiredness at bay





EXPERT



EXPERT

PETROLSCYTHES

	GE-BC 43 AS	GE-BC 33 AS
Engine / displacement	2-stroke / 42.7 cm ³	2-stroke / 32.6 cm ³
Power	1.25 kW	1.0 kW
Cutting width with double thread	460 mm	460 mm
Thread diameter / length	2.4 mm / 600 cm	2.4 mm / 600 cm
Cutting width (blade)	255 mm	255 mm
Housing material	Aluminium/plastic	Aluminium/plastic
Product weight	10.0 kg	9.3 kg
Handle with all control elements	•	•
Long handle made of aluminium tube	•	•
Split shaft	•	•
Quick Start System + Autochoke	•	•
Spindle Lock System	•	•
Anti-vibration system	•	•
Automatic jog line feed	•	•
Professional comfort harness	•	•
Wall bracket	•	•
Blade + thread spool	•	•
Article number	3404610	3404600



CLASSIC



CLASSIC



CLASSIC

PETROLSCYTHES

	GH-BC 33-4 S	GC-BC 31-4 S	GC-BC 52 I AS
Engine / displacement	4-stroke / 33.5 cm ³	4-stroke / 31.0 cm ³	2-stroke / 51.7 cm ³
Power	1 kW	0.7 kW	1.5 kW
Cutting width with double thread	460 mm	480 mm	420 mm
Thread diameter / length	2.5 mm / 400 cm	2.5 mm / 400 cm	2.4 mm / 400 cm
Cutting width (blade)	255 mm	255 mm	255 mm
Housing material	Aluminium/plastic	Aluminium/plastic	Aluminium/plastic
Product weight	9.0 kg	8.5 kg	8.5 kg
Handle with all control elements	•	•	•
Long handle made of aluminium tube	•	•	•
Split shaft	•	•	•
Quick Start System	•	•	•
Autochoke	—	—	•
Digital ignition – stable engine run	—	—	•
Automatic jog line feed	•	•	•
Comfort harness	•	•	•
Blade + thread spool	•	•	•
Article number	3401738	3436500	3436540



CLASSIC



CLASSIC



CLASSIC

PETROLSCYTHES

	GC-BC 43 I AS	GH-BC 43 AS	GC-BC 30 AS
Engine / displacement	2-stroke / 43.0 cm ³	2-stroke / 42.7 cm ³	2-stroke / 31.0 cm ³
Power	1.3 kW	1.25 kW	0.9 kW
Cutting width with double thread	450 mm	420 mm	450 mm
Thread diameter / length	2.8 mm / 400 cm	2.4 mm / 400 cm	2.0 mm / 400 cm
Cutting width (blade)	255 mm	255 mm	230 mm
Housing material	Aluminium/plastic	Aluminium/plastic	Aluminium/plastic
Product weight	7.6 kg	8.8 kg	6.3 kg
Handle with all control elements	•	•	•
Long handle made of aluminium tube	•	•	•
Split shaft	•	•	•
Quick Start System + Autochoke	•	•	•
Digital ignition – stable engine run	•	–	•
Automatic jog line feed	•	•	•
Comfort harness	•	•	•
Blade + thread spool	•	•	•
Article number	3436530	3401973	3436520



CLASSIC



CLASSIC

PETROLSCYTHES

	GC-BC 25 AS	GH-BC 25 AS
Engine / displacement	2-stroke / 27.0 cm ³	2-stroke / 25.4 cm ³
Power	0.8 kW	0.75 kW
Cutting width with double thread	450 mm	420 mm
Thread diameter / length	2.0 mm / 400 cm	2.0 mm / 400 cm
Cutting width (blade)	230 mm	230 mm
Housing material	Aluminium/plastic	Aluminium/plastic
Product weight	6.3 kg	7.3 kg
Handle with all control elements	•	•
Long handle made of aluminium tube	•	•
Split shaft	•	•
Quick Start System + Autochoke	•	•
Digital ignition – stable engine run	•	–
Automatic jog line feed	•	•
Comfort harness	•	•
Blade + thread spool	•	•
Article number	3436510	3401953

TILLERS



CLASSIC



CLASSIC



CLASSIC

PETROLTILLERS

	GC-MT 3060 LD	GC-MT 3036	GC-MT 1636/1
Engine / displacement	4-stroke / 139 cm ³	4-stroke / 139 cm ³	4-stroke / 99 cm ³
Power / working speed	3 kW / 3600 min ⁻¹	3 kW / 3600 min ⁻¹	1.5 kW / 3200 min ⁻¹
Working width	600 mm	360 mm	360 mm
Working depth	230 mm	230 mm	220 mm
Number of blades	6	4	4
Cultivator blade diameter	260 mm	260 mm	260 mm
Product weight	37.0 kg	32.4 kg	28.8 kg
Side limiting discs	•	—	—
Swiveling guide wheel	•	•	•
Quick Start	•	•	•
Cultivator blade stopped by dead man's circuit	•	•	•
Ergonomic handlebar	•	•	•
Height adjustable steady grips	•	•	•
Height adjustable brake shoe	•	•	•
Article number	3430280	3430290	3431500
			





CLASSIC




CLASSIC

ELECTRICTILLERS

	GC-RT 1440 M	GC-RT 7530
Mains connection / rated input	220 - 240 V ~ 50 Hz / 1400 W	230 V ~ 50 Hz / 750 W
Working width	400 mm	300 mm
Working depth	200 mm	200 mm
Number of blades	6	4
Cultivator blade diameter	200 mm	220 mm
Product weight	11.6 kg	7.4 kg
Cable-relief clip	•	•
Overload protection	•	—
Height-adjustable wheels for easy transportation	•	—
Ergonomic handlebar	•	•
Folding handlebar	•	•
Article number	3431040	3431050
		

HEDGE TRIMMERS



Hedge Trimmer
GE-EH 7067

SWIVEL HANDLE
Rear handle can be swiveled: optimum handling – for vertical and horizontal cuts without fatigue

METAL GEARING
Rugged metal gearing for efficient power transmission and long product life

HAND GUARD
For your safety, the hedge trimmer is equipped with a large hand guard


CUTTING COLLECTOR
Perfect removal of the cuttings from the top of the hedge when trimming hedges is ensured by the practical cuttings collector

HIGH QUALITY BLADES
The blades made of laser-cut and diamond ground steel are designed for maximum precision and durability



ALUMINIUM COVER
The product comes complete with a sturdy aluminium cover for protecting the blades

IMPACT GUARD
The impact guard protects the blades and the work area against damage





ELECTRIC HEDGE TRIMMERS

EXPERT

EXPERT

	GE-EH 7067	GE-EH 6560
Mains connection / rated input	220 - 240 V ~ 50 Hz / 700 W	220 - 240 V ~ 50 Hz / 650 W
Bar length	710 mm	660 mm
Cutting length	670 mm	600 mm
Spacing between teeth	30 mm	30 mm
Cuts per minute	3000 min ⁻¹	3000 min ⁻¹
Product weight	3.5 kg	3.5 kg
Turnable rear handle	•	•
Cutting collector	•	•
Laser-cut and diamond-ground blades	•	•
Metal gearing	•	•
Soft grip	•	•
Aluminium cover over cutters	•	•
Protection shield	•	•
Cable-relief clip	•	•
Protective cover with wall mount	•	•
Article number	3403340	3403330



ELECTRIC HEDGE TRIMMERS

CLASSIC

CLASSIC

CLASSIC

CLASSIC

	GC-EH 6055/1	GC-EH 6055	GC-EH 5550/1	GC-EH 5550
Mains connection / rated input	220 - 240 V ~ 50 Hz / 600 W	230 V ~ 50 Hz / 600 W	220 - 240 V ~ 50 Hz / 550 W	230 V ~ 50 Hz / 550 W
Bar length	610 mm	610 mm	560 mm	560 mm
Cutting length	550 mm	550 mm	500 mm	500 mm
Spacing between teeth	26 mm	26 mm	26 mm	26 mm
Cuts per minute	2800 min ⁻¹	3000 min ⁻¹	2800 min ⁻¹	3000 min ⁻¹
Product weight	3.4 kg	3.4 kg	3.3 kg	3.4 kg
Turnable rear handle	—	—	—	—
Cutting collector	•	•	•	•
Laser-cut and diamond-ground blades	•	•	•	•
Metal gearing	•	•	•	•
Soft grip	•	•	•	•
Aluminium cover over cutters	•	•	•	•
Protection shield	•	•	•	•
Cable-relief clip	•	•	•	•
Protective cover with wall mount	•	•	•	•
Article number	3403320	3403350	3403310	3403360



ELECTRIC HEDGE TRIMMERS

	GC-EH 5747	GC-EH 4550	GH-EH 4245
Mains connection / rated input	230 V ~ 50 Hz / 570 W	230 V ~ 50 Hz / 450 W	230 V ~ 50 Hz / 420 W
Bar length	530 mm	560 mm	510 mm
Cutting length	465 mm	500 mm	450 mm
Spacing between teeth	18 mm	16 mm	16 mm
Cuts per minute	3200 min ⁻¹	3200 min ⁻¹	3200 min ⁻¹
Product weight	2.8 kg	2.5 kg	2.5 kg
Turnable rear handle	—	—	—
Cutting collector	—	—	—
Laser-cut and diamond-ground blades	—	•	•
Metal gearing	•	•	•
Soft grip	•	•	•
Aluminium cover over cutters	—	•	•
Protection shield	•	•	•
Cable-relief clip	•	•	•
Protective cover with wall mount	•	•	•
Article number	3403742	3403370	3403460



PETROL HEDGE TRIMMERS

	GE-PH 2555 A	GC-PH 2155
Power	0.85 kW	0.7 kW
Engine displacement	24.5 cm ³	25 cm ³
Bar length	610 mm	650 mm
Cutting length	550 mm	550 mm
Spacing between teeth	28 mm	28 mm
Cuts per minute	1900 min ⁻¹	2050 min ⁻¹
Product weight	5.5 kg	6.2 kg
Swivel handle	•	•
Ergonomic handle	•	•
Anti-vibration system	•	•
Autochoke – Quick Start System	•	•
Laser-cut blades	•	—
Protection shield	•	•
Two-hand safety switch	•	•
Protective cover	•	•
Article number	3403835	3403850

CORDLESS GRASS AND SHRUB SHEARS



CORDLESS GRASS AND SHRUB SHEARS

	NEW	EXPERT	NEW	EXPERT
	GE-CG 12 Li		GE-CG 12 Li WT	GE-CG 7.2 Li
Li-Ion Battery Pack	12 V / 1.5 Ah		12 V / 1.5 Ah	7.2 V / 1.5 Ah
Charging time	2 h		2 h	2 h
Operating time per battery charge	100 min		100 min	85 min
Cutting width with grass shear blade	100 mm		100 mm	85 mm
Cutting length with shrub cutting blade	190 mm		190 mm	130 mm
Spacing between teeth of shrub cutting blade	8 mm		8 mm	8 mm
Product weight	1.6 kg		0.8 kg	0.7 kg
Blade change without tools	•		•	•
Telescopic handle	•		—	—
Large wheels	•		—	—
Laser-cut blades	•		•	•
Metal gearing	•		•	—
Soft grip	•		•	•
Battery charger	•		•	•
Article number	3410401		3410411	3410381



CORDLESS GRASS AND SHRUB SHEARS

	CLASSIC	CLASSIC	CLASSIC
	GC-CG 7.2 Li	GC-CG 3.6 Li WT	GC-CG 3.6 Li
Li-Ion Battery Pack	7.2 V / 1.5 Ah	3.6 V / 1.5 Ah	3.6 V / 1.5 Ah
Charging time	2 h	3-5 h	3-5 h
Operating time per battery charge	80 min	60 min	60 min
Cutting width with grass shear blade	90 mm	70 mm	70 mm
Cutting length with shrub cutting blade	130 mm	100 mm	100 mm
Spacing between teeth of shrub cutting blade	14 mm	8 mm	8 mm
Product weight	0.7 kg	0.5 kg	0.7 kg
Blade change without tools	•	•	•
Telescopic handle	—	—	—
Large wheels	—	—	•
Laser-cut blades	•	—	—
Metal gearing	—	—	—
Soft grip	•	•	•
Battery charger	•	•	•
Article number	3410473	3410456	3410455

POLE MOUNTED PRUNERS

FITTED WITH


 CHAIN AND BAR

CORDLESS POLE-MOUNTED PRUNER



CLASSIC

	GC-LC 1815 T
Li-Ion Battery Pack	18 V / 1.5 Ah
Charging time	60 min
Operating time per battery charge	30 min
Bar length	242 mm
Cutting length	200 mm
Cutting speed	2.83 m/s
Product weight	3.8 kg
Infinitely lockable telescopic handle	•
Main handle + motor head tiltable by several settings	—
OREGON quality bar and chain	•
Toolless chain tensioning and changing	—
Automatic chain lubrication	•
Sturdy stop claws made of metal	—
Metal gearing	—
Adjustable second handle	—
High-speed battery charger	•
Article number	3410705



4 006825 598124

FITTED WITH

 CHAIN AND BAR

ELECTRIC POLE-MOUNTED PRUNERS




EXPERT




CLASSIC

	GE-EC 720 T Kit	GC-EC 750 T
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	710 W	750 W
Bar length	200 mm	200 mm
Cutting length	180 mm	180 mm
Cutting speed	13 m/s	11 m/s
Product weight	4.5 kg	3.9 kg
Extendable handle	•	•
Tilted motor head	•	—
OREGON quality bar and chain	•	•
Magnetic cutter rail fixing	•	—
Tool-free chain tensioning	•	•
Automatic chain lubrication	•	•
Large oil filler opening	•	•
Adjustable second handle	•	•
Protective cover	•	•
Carrying belt with quick release	•	•
Hip carrying strap	•	—
Article number	4501680	4501210



4 006825 587722



4 006825 603842

ELECTRIC TELESCOPIC HEDGE TRIMMERS ELECTRIC MULTIFUNCTIONAL TOOL





CLASSIC



CLASSIC

ELECTRIC TELESCOPIC HEDGE TRIMMERS


	GC-HH 9048	GC-HH 5047
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	900 W	500 W
Bar length	480 mm	585 mm
Cutting length	410 mm	470 mm
Spacing between teeth	20 mm	20 mm
Product weight	5.1 kg	4.0 kg
Extendable handle	•	•
Cutting head tiltable	•	•
Turnable rear handle	•	—
Laser-cut and diamond-ground blades	•	•
Metal gearing	•	—
Adjustable second handle	•	•
Protective cover	•	•
Carrying belt with quick release	•	•
Article number	3403492	3403200
		



ELECTRIC MULTIFUNCTIONAL TOOL



CLASSIC

	GC-HC 9024 T
Mains connection	230 - 240 V ~ 50 Hz
Rated input	900 W
Bar length (chainsaw)	200 mm
Chain cutting speed	6.3 m/s
Blade length of hedge trimmer	410 mm
Spacing between teeth (hedge trimmer)	20 mm
Extendable handle	•
Cutting head tiltable	•
Turnable rear handle	•
OREGON quality bar and chain	•
Automatic chain lubrication	•
Laser-cut and diamond-ground blades	•
Adjustable second handle	•
Protective cover	•
Carrying belt with quick release	•
Article number	4501280
	

CHAINSAWS

HAND GUARD AND CHAIN BRAKE

Kickback protection with instant reaction mechanical chain brake and large hand guard for safe operation

ERGONOMIC HANDLE POSITIONS

For good and safe handling in all work situations – when cutting either vertically or horizontally – the handles are ergonomically positioned

Electric Chainsaw
GE-EC 2240 S

SOFT GRIP

Soft grip surfaces ensure improved ergonomic handling

SLIMLINE DESIGN

The convenient slimline design for easy handling allows the machine to be guided close to the trunk

OIL FILLING OPENING

The large opening in the oil reservoir allows the chain oil to be topped up easily

OREGON HIGH-QUALITY CHAIN AND BAR

FITTED WITH
OREGON
CHAIN AND BAR

METAL STOP CLAW

The rugged metal stop claw keeps the saw stable for added safety and working comfort

CHAIN TENSIONING AND CHANGING WITHOUT TOOLS

User-friendly: Chain tensioning / changing and chainsaw adjustment without the need for additional tools

SOFT START

The soft start protects the equipment from overloading and provides enhanced user safety

METAL GEARING

Rugged metal gearing for efficient power transmission and long product life



FITTED WITH
OREGON
CHAIN AND BAR



ELECTRIC CHAINSAWS

	EXPERT	EXPERT	CLASSIC	CLASSIC
	GE-EC 2240 S	GE-EC 2240	GH-EC 2040	GH-EC 1835
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50/60 Hz	230 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	2200 W	2200 W	2000 W	1800 W
Bar length	405 mm	406 mm	406 mm	350 mm
Cutting length	375 mm	375 mm	375 mm	325 mm
Cutting speed	14.5 m/s	15 m/s	13.5 m/s	13.5 m/s
Oil tank capacity	150 ml	160 ml	160 ml	160 ml
Product weight	5.4 kg	5.6 kg	5.5 kg	5.4 kg
Metal gearing	•	•	•	•
OREGON quality bar and chain	•	•	•	•
Toolless chain tensioning and changing	•	•	•	•
Automatic chain lubrication	•	•	•	•
Sturdy stop claws made of metal	•	•	•	•
Kickback protection with mechanical instant chain brake	•	•	•	•
Chain catch bolt	•	•	•	•
Soft grip	•	•	•	•
Soft start	•	•	—	—
Protective cover	•	•	•	•
Article number	4501770	4501740	4501720	4501710

ANTI VIBRATION SYSTEM



PETROL CHAINSAWS

	CLASSIC	CLASSIC	CLASSIC	CLASSIC
	GC-PC 2040 I	GC-PC 1335 I TC	GC-PC 1235 I	GC-PC 930 I
Power	2.0 kW / 2.7 HP	1.3 kW / 1.8 HP	1.2 kW / 1.6 HP	0.9 kW / 1.2 HP
Engine displacement	50.4 cm ³	41 cm ³	37.2 cm ³	25.4 cm ³
Bar length	400 mm	350 mm	355 mm	305 mm
Cutting length	390 mm	335 mm	345 mm	240 mm
Cutting speed	21 m/s	21 m/s	21.9 m/s	21 m/s
Fuel tank capacity	540 ml	260 ml	300 ml	230 ml
Oil tank capacity	240 ml	210 ml	170 ml	160 ml
Product weight	6.5 kg	5.5 kg	5.3 kg	3.8 kg
OREGON quality bar and chain	•	•	•	—
Digital ignition – stable engine run	•	•	•	•
Autochoke – Quick Start System + Primer	•	•	•	—
Toolless chain tensioning and changing	—	•	—	—
Automatic chain lubrication	•	•	•	•
Sturdy stop claws made of metal	•	•	•	•
Kickback protection with mechanical instant chain brake	•	•	•	•
Protective cover	•	•	•	•
Petrol/oil mixing bottle	•	•	•	•
Article number	4501851	4501835	4501861	4501840

CHAIN SHARPENERS



CLASSIC



CLASSIC



CLASSIC



CLASSIC

ELECTRIC CHAIN SHARPENERS

	GC-CS 235 E	GC-CS 85 F	GC-CS 85 E	GC-CS 85
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	235 W	85 W	85 W	85 W
Grinding wheel diameter (inside)	22 mm	23 mm	23 mm	23 mm
Grinding wheel diameter (outside)	145 mm	108 mm	108 mm	108 mm
Grinding wheel thickness	3.2 mm	3.2 mm	3.2 mm	3.2 mm
Product weight	5.8 kg	2.1 kg	1.9 kg	1.9 kg
Depth stop	•	•	•	•
Scala for precise setting of the grinding angle	•	•	•	•
Clamping device	•	•	•	•
Automatic chain tensioning	—	•	—	—
Pivoting grinding head for setting the roof angle	•	—	—	—
Light	•	—	—	—
Transparent window	•	•	—	—
Article number	4499910	4499930	4499920	4500089

WOODWORKING ACCESSORIES



	Forest Safety Helmet	Combination Canister	Chainsaw Trestle	Moisture Meter
Product weight	0.8 kg	0.8 kg	7.1 kg	0.1 kg
Article number	4500480	4501325	4500067	4501620

LEAF VACUUMS LEAF BLOWER

2in1
· VACUUM
· BLOW



ELECTRIC LEAF VACUUMS

	GE-EL 3000 E	GC-EL 3000 E	GC-EL 2600 E	GC-EL 2500 E
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz	230 - 240 V ~ 50 Hz
Rated input	3000 W	3000 W	2600 W	2500 W
Max. blowing air flow	300 km/h	300 km/h	270 km/h	240 km/h
Max. suction power	1080 m³/h	840 m³/h	780 m³/h	650 m³/h
Idle speed	7000 - 13000 min ⁻¹	8000 - 15000 min ⁻¹	6000 - 14000 min ⁻¹	7000 - 13500 min ⁻¹
Shredding function	12:1	15:1	10:1	10:1
Product weight	6.2 kg	4.5 kg	4.2 kg	3.1 kg
Toolless change-over suction/blasting function	•	•	•	•
Electronic speed control	•	•	•	•
Aluminum blower impeller	•	•	—	—
Cleaning flap with safety switch	•	•	•	—
Adjustable second handle	•	•	•	—
Debris bag with window	•	•	—	•
Carrying strap	•	•	•	•
Height-adjustable guide wheels	•	•	—	—
Soft grip	•	•	•	—
Article number	3433225	3433320	3433290	3433300



PETROL BACKPACK LEAF BLOWER

	GC-PB 33
Power	0.9 kW / 1.22 HP
Engine displacement	33 cm³
Max. blowing air flow	250 km/h
Max. speed	8500 min ⁻¹
Product weight	6.2 kg
Control elements integrated in the handle	•
Lockable throttle lever	•
Two different nozzles for variable outlet speeds	•
Crank shaft mounted at two ends	•
Carrying strap	•
Article number	3436070



* The GC-EL 3000 E is supplied complete with a large, wide suction tube and a light, narrow blower tube as well. This makes it easy to handle the equipment, and that goes for both the vacuum and the blowing function. Both functions are made available easily by converting from one to the other without the need for any tools.

SHREDDERS



GARDENSHREDDER



	GH-KS 2440
Mains connection	230 - 240 V ~ 50 Hz
Rated input	2400 W S6 (40%) / 2000 W S1
Idle speed	4500 min ⁻¹
Max. branch diameter	40 mm
Capacity of catch box	—
Product weight	11.2 kg
Transport wheels	•
Transport handle	•
Generous funnel opening	•
Prodder incl.	•
Debris box	—
Garden rubbish bag	•
Article number	3430340

4 006825 594058



ELECTRICROLLERSHREDDERS



	GC-RS 2845 CB	GC-RS 2540 CB	GC-RS 2540
Mains connection	230 - 240 V ~ 50 Hz	230 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	2800 W S6 (40%) / 2300 W S1	2500 W S6 (40%) / 2000 W S1	2500 W S6 (40%) / 2000 W S1
Idle speed	40 min ⁻¹	40 min ⁻¹	40 min ⁻¹
Max. branch diameter	45 mm	40 mm	40 mm
Capacity of catch box	60 l	60 l	—
Product weight	34.0 kg	28.9 kg	24.9 kg
Transport wheels	•	•	•
Transport handle	•	•	•
Reverse running switch	•	•	•
Generous funnel opening	•	•	•
Prodder incl.	—	—	—
Debris box	•	•	—
Garden rubbish bag	—	—	•
Article number	3430630	3430598	3430620

4 006825 608410

4 006825 603699

4 006825 608403



WATERING + DRAINAGE



PROS AT A GLANCE:



| DRAINAGE

- + Delivery of large quantities of water quickly
- + Prevention of the worst water damage as far as possible by pumping out quickly
- + High level of operational safety and reliability

| WATERING

- + Uniform garden watering
- + User-friendly and safe handling
- + Conserves resources and saves drinking water

| DOMESTIC WATER SUPPLY

- + Water supply for the home and garden from alternative water reservoirs (cisterns, wells)
- + User-friendly and safe handling
- + Conserves resources and saves drinking water



I DRAINAGE


Repumping/pumping out water – quicker and easier than ever. Pumping both clear water and dirty water with a high delivery rate is no problem with Einhell drainage pumps.

PRODUCTS

- 2-in-1 Multipurpose Pumps
- Dirty Water Pumps
- Clear Water Pumps
- Aqua Sensor Pumps

AREAS OF APPLICATION

- Pumping out flooded basements, garages or washing rooms
- Pumping out and repumping from pools, garden ponds, building pits and drainage channels



I WATERING


To avoid wasting precious drinking water on watering the garden, alternative sources of water such as rainwater or water from cisterns can be used instead.

PRODUCTS

- Rain Barrel Pump
- Submersible Pressure Pumps
- Deep Well Pumps
- Garden Pumps
- Automatic Water Works
- Petrol Water Pumps

AREAS OF APPLICATION

- Operating lawn sprinklers and garden showers
- Pumping water from wells or cisterns
- Using rainwater from storage areas for watering



I DOMESTIC WATER SUPPLY


Thanks to a wide range of uses, the home and garden can be supplied with service water automatically.

PRODUCTS

- Automatic Water Works
- Water Works
- Automatic Submersible Pressure Pumps
- Automatic Deep Well Pump 

AREAS OF APPLICATION

- Water from alternative sources for supplying the home (washing machine, toilet flushing systems)
- Increasing the pressure in domestic water systems



AQUA SENSOR PUMPS

24 HOUR ROUND THE CLOCK PROTECTION



INSTANT STARTING WITH LOW SUCTION HEIGHTS

CARRY HANDLE

Sturdy and ergonomic carry handle with integral suspension eyelet for rapid operational readiness

PUMP HOUSING

The long-lasting pump housing made of impact-proof plastic with a stainless steel outer shell can be depended on to withstand the harshest treatment

LONG POWER CABLE

The extra-long connection cable (10 m) enables the pump to be used for very deep immersion depths too

HOSE CONNECTION

Universal connection is easily accessible on the top of the pump

AQUA SENSOR TECHNOLOGY

User-friendly setting of the three sensor starting heights or the continuous operation function

INTEGRAL AQUA SENSOR

The integral aqua sensor means that the pump has a slimline design, so it can be used in constricted spaces, e.g. in shafts

Aqua Sensor Dirty Water Pump
GE-DP 7935 N-A ECO







**AQUASENSOR
DIRTYWATERPUMPS**



NEW

EXPERT NEW

EXPERT

	GE-DP 7935 N-A ECO	GE-DP 6935 A ECO
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	790 W	690 W
Max. delivery capacity / height	19000 l/h / 9 m	17500 l/h / 9 m
Max. immersion depth	7 m	7 m
Max. size of foreign particle	35 mm	35 mm
Pump start in continuous mode	50 mm	50 mm
Sensor starting height 1	70 mm	70 mm
Sensor starting height 2	135 mm	135 mm
Sensor starting height 3	188 mm	188 mm
Works in shallow clean water as low as	40 mm	40 mm
Hose connection	47.8 mm (1½") ET	47.8 mm (1½") ET
Power cord	10 m	10 m
Product weight	6.2 kg	5.7 kg
Aqua Sensor Technology	•	•
Permanent mode without sensor start	•	•
Non-return valve	•	•
High-quality mechanical seal	•	•
Integrated cable rewind	•	•
Carry handle	•	•
Lifting eye	•	•
ECO Power	•	•
Universal hose adapter	•	•
Article number	4171460	4171450
		



NO MORE NASTY SURPRISES.

ENJOY YOUR VACATION WITH PEACE OF MIND.



**DIRTYWATER
AUTOSTART**
70 mm
PUMPSTOP
40 mm

LET THE EINHELL AQUA SENSOR PUMP DO THE WORK.



**AQUASENSOR
CLEARWATERPUMP**

NEW

EXPERT



	GE-SP 4390 N-A LL ECO
Mains connection	230 V ~ 50 Hz
Rated input	430 W
Max. delivery capacity / height	9000 l/h / 8 m
Max. immersion depth	7 m
Max. size of foreign particle	1 mm
Pump start in continuous mode	5 mm
Sensor starting height 1	5 mm
Sensor starting height 2	56 mm
Sensor starting height 3	103 mm
Works in shallow clean water as low as	1 mm
Hose connection	47.8 mm (1½") ET
Power cord	10 m
Product weight	4.9 kg
Aqua Sensor Technology	•
Permanent mode without sensor start	•
Non-return valve	•
High-quality mechanical seal	•
Integrated cable rewind	—
Carry handle	•
Lifting eye	•
ECO Power	•
Universal hose adapter	•
Article number	4171440



PATENTED AQUA SENSOR TECHNOLOGY

User-friendly setting of the three sensor starting heights or the continuous operation function

Quickly ready for use – anywhere and any time. The integral aqua sensor and the pump outlet on the top enable it to be used in really constricted places and ones that are otherwise difficult to access, e.g. shafts/ drains and in basements of course.





2-IN-1 MULTIPURPOSE PUMPS



FLOAT SWITCH

The practical float switch serves for an automatic level control of the waste water and is infinitely adjustable

UNIVERSAL HOSE CONNECTOR

Easily accessible universal hose connector at the top side of the pump

2-IN-1-FUNCTION

Evacuation of clear water and wastewater with only one pump

CARRY HANDLE

Sturdy and ergonomic carry handle with an integrated suspension eye for a quick operational readiness

PUMP HOUSING

Robust pump housing of impact-resistant plastic with a stainless steel outer skin withstands even the highest stress

PATENTED SUCTION LEVEL CONTROL

With the patented suction level control, a quick adaptation of the desired function (clear water operation or dirt water operation) can take place via a simple rotary motion at the pump foot

2-in-1 Multipurpose Pump
GE-DP 7330 LL ECO







EXPERT



EXPERT

2-IN-1 MULTIPURPOSE PUMPS

	GE-DP 7330 LL ECO	GE-DP 5220 LL ECO
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	730 W	520 W
Max. delivery capacity / height	16500 l/h / 8.5 m	13500 l/h / 7.5 m
Max. immersion depth	7 m	7 m
Max. size of foreign particle	30 mm	20 mm
Works in shallow clean water as low as	1 mm	1 mm
Starting of pump from water level of	10 mm	10 mm
Hose connection	47.8 mm (1½") ET	47.8 mm (1½") ET
Power cord	10 m	10 m
Product weight	6.2 kg	5.4 kg
Patented suction level control	•	•
High-quality mechanical seal	•	•
Float switch (automatic and manual mode)	•	•
Integrated cable rewind	•	•
ECO Power	•	•
Carry handle with integrated lifting eye	•	•
Universal hose adapter	•	•
Article number	4170790	4170780
		

2-IN-1 MULTIPURPOSE PUMPS

- 1 When the clear water function is activated: The pump starts when the water level is just 10 mm, and not many pumps can do that – plus it works in shallow water as low as 1 mm, i.e. just a quick wipe over at the end and the flooding is quickly forgotten
- 2 When the dirty water function is activated: Even large particles of dirt such as stones and lumps of sludge with diameters up to 20/30 mm (depending on the model) can be suctioned up without difficulty
- 3 2-in-1 function: Evacuation of clear water and wastewater with only one pump!
- 4 Patented suction level control: a simple rotary motion at the pump foot switches the function to suctioning for either shallow clear water or dirty water with large foreign particles



SUBMERSIBLE PUMPS



ECOSUBMERSIBLEPUMPS DIRTYWATER/CLEARWATER

	GE-DP 7935 N ECO	GE-DP 6935 ECO	GE-DP 3925 ECO	GE-SP 4390 LL ECO
Suitable for	Dirty water	Dirty water	Dirty water	Clear water
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	790 W	690 W	390 W	430 W
Max. delivery capacity / height	20000 l/h / 9 m	17500 l/h / 9 m	10000 l/h / 6 m	9000 l/h / 8 m
Max. immersion depth	7 m	7 m	7 m	7 m
Min. water level for pump start	50 mm	50 mm	50 mm	5 mm
Works in shallow clean water as low as	—	—	—	1 mm
Max. size of foreign particle	35 mm	35 mm	25 mm	1 mm
Hose connection	47.8 mm (1½") ET	47.8 mm (1½") ET	47.8 mm (1½") ET	47.8 mm (1½") IT
Power cord	10 m	10 m	10 m	10 m
Product weight	7.3 kg	5.5 kg	4.5 kg	4.5 kg
Integrated lifting eye	•	•	•	•
High-quality mechanical seal	•	•	•	•
Float switch (automatic and manual mode)	•	•	•	•
Integrated cable rewind	•	•	•	—
ECO Power	•	•	•	•
Carry handle	•	•	•	•
Non-return valve	—	—	—	•
Universal hose adapter	•	•	•	•
Article number	4170700	4170720	4170710	4170715



DIRTYWATERPUMPS

	GC-DP 1340 G	GC-DP 5010 G	GC-DP 1020 N
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	1300 W	500 W	1000 W
Max. delivery capacity / height	23000 l/h / 10 m	12000 l/h / 8 m	18000 l/h / 9 m
Max. immersion depth	5 m	5 m	5 m
Max. size of foreign particle	40 mm	10 mm	20 mm
Hose connection	59.6 mm (2") IT	42 mm (1½") IT	47.8 mm (1½") IT
Power cord	10 m	10 m	10 m
Product weight	22.0 kg	10.6 kg	7.2 kg
Integrated lifting eye	—	—	—
High-quality mechanical seal	•	•	•
Float switch (automatic and manual mode)	•	•	•
Integrated cable rewind	—	—	—
ECO Power	—	—	—
Carry handle	•	•	•
Universal hose adapter	•	•	•
Lowering rope	• (6 m)	—	—
Article number	4170742	4171421	4170773



CLASSIC



CLASSIC

DIRTYWATERPUMPS

	GC-DP 7835	GC-DP 6315 N
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	780 W	630 W
Max. delivery capacity / height	15700 l/h / 8 m	17000 l/h / 8 m
Max. immersion depth	7 m	5 m
Max. size of foreign particle	35 mm	15 mm
Hose connection	47.8 mm (1½") IT	47.8 mm (1½") IT
Power cord	10 m	10 m
Product weight	5.2 kg	4.7 kg
Integrated lifting eye	—	—
High-quality mechanical seal	•	•
Float switch (automatic and manual mode)	•	•
Integrated cable rewind	•	•
ECO Power	—	—
Carry handle	•	•
Universal hose adapter	•	•
Lowering rope	—	—
Article number	4170682	4170491



CLASSIC



CLASSIC

DIRTYWATERPUMPS

	GC-DP 5225 N	GC-DP 3730
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	520 W	370 W
Max. delivery capacity / height	10000 l/h / 7 m	9000 l/h / 5 m
Max. immersion depth	5 m	5 m
Max. size of foreign particle	25 mm	30 mm
Hose connection	47.8 mm (1½") IT	47.8 mm (1½") IT
Power cord	10 m	10 m
Product weight	4.1 kg	4.3 kg
Integrated lifting eye	—	—
High-quality mechanical seal	•	•
Float switch (automatic and manual mode)	•	•
Integrated cable rewind	•	•
ECO Power	—	—
Carry handle	•	•
Universal hose adapter	•	•
Lowering rope	—	—
Article number	4170481	4170471

CLEAR WATER PUMPS

CARRY HANDLE

Sturdy and ergonomic carry handle for easy transport

FLOAT SWITCH

Using an infinitely variable float switch, the pump can be switched on and off automatically as the water level changes

UNIVERSAL HOSE CONNECTOR

The submersible pump has a connector for 25/38 mm hoses and a 33.3 mm (1") male thread


CABLE REWIND

A practical cable rewind makes it easy to store this submersible pump

LOW LEVEL EXTRACTION – WHAT LITTLE IS LEFT CAN BE WIPED DRY

The pump can be used at water levels as low as 8 mm. It then sucks up everything right down to a small residual amount of 1 mm of water – which means just a quick wipe over at the end and the job is done

Clear Water Pump
GC-SP 3580 LL



CLEARWATERPUMPS

EXPERT

CLASSIC

	GE-SP 750 LL	GC-SP 5511 IF
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	750 W	550 W
Max. delivery capacity / height	15000 l/h / 10 m	11000 l/h / 8.5 m
Max. immersion depth	5 m	7 m
Hose connection	42 mm (1½") ET	47.8 mm (1½") IT
Power cord	10 m	10 m
Min. water level for pump start	50 mm	60 mm
Works in shallow clean water as low as	2 mm	5 mm
Product weight	6.2 kg	4.4 kg
High-quality mechanical seal	•	–
Integ. float switch (automatic + manual mode)	•	•
Integrated cable rewind	•	–
Carry handle	•	•
Universal hose adapter	•	•
Article number	4170666	4170463







CLASSIC



CLASSIC

CLEARWATERPUMPS


	GC-SP 3580 LL	GH-SP 2768
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	350 W	270 W
Max. delivery capacity / height	8000 l/h / 7.5 m	6800 l/h / 5.5 m
Max. immersion depth	7 m	5 m
Hose connection	47.8 mm (1½") IT	47.8 mm (1½") IT
Power cord	10 m	10 m
Min. water level for pump start	8 mm	—
Works in shallow clean water as low as	1 mm	8 mm
Product weight	3.1 kg	3.9 kg
High-quality mechanical seal	•	•
Float switch (automatic + manual mode)	•	•
Integrated cable rewind	•	•
Carry handle	•	•
Universal hose adapter	•	•
Article number	4170445	4170442
		



NEW

EXPERT

RAINBARRELPUMP

	GE-SP 3546 RB
Mains connection	230 V ~ 50 Hz
Rated input	350 W
Max. delivery capacity / height	4600 l/h / 11 m
Max. immersion depth	7 m
Max. size of foreign particle	2.5 mm
Hose connection	26.4 mm (¾") ET
Power cord	10 m
Works in shallow clean water as low as	—
Product weight	5.0 kg
High-quality mechanical seal	—
Float switch (infinitely variable)	•
Integrated cable rewind	•
Carry handle	•
Flexible gooseneck	•
Universal hose adapter	—
Article number	4170438
	

DEEP WELL PUMPS SUBMERSIBLE PRESSURE PUMPS

Submersible Pressure Pump
GE-PP 1100 N-A



HOSE CONNECTION WITH STAINLESS STEEL INSERT

The hose connection with stainless steel insert is really robust and long-lasting. Being ideally positioned for access at the top, it makes the pump suitable for use in constricted shafts

AUTOMATIC FUNCTION

The equipment switches on automatically when water is required and then off again

PUMP HOUSING

The long-lasting pump housing made of rust-proof stainless steel can be depended on to withstand the harshest treatment

4-STAGE IMPELLER SYSTEM

The impeller system is of 4-stage design and therefore supplies extra-high delivery pressure

HIGH-QUALITY MECHANICAL SEAL

The high-grade mechanical seal reduces friction and wear and therefore guarantees long service





CLASSIC



CLASSIC

DEEPWELLPUMPS

	GC-DW 1300 N	GC-DW 1000 N
Mains connection	230 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1300 W	1000 W
Max. delivery capacity / height	5000 l/h / 65 m	6500 l/h / 45 m
Max. immersion depth	20 m	19 m
Max. size of foreign particle	—	—
Hose connection	47.8 mm (1½") IT	42 mm (1¼") IT
Power cord	2 m / 23 m	22 m
Product weight	15.5 kg	7.7 kg
Multi-stage pump wheels	•	•
High-quality mechanical seal	•	•
Overload switch	•	•
Integrated non-return valve	•	•
Stainless dirt screen	•	•
High-quality INOX high-grade steel pump housing	•	•
External switchbox	•	—
Lowering rope	• (20 m)	• (22 m)
Article number	4170944	4170955



EXPERT



CLASSIC





SUBMERSIBLE PRESSUREPUMPS

	GE-PP 1100 N-A	GC-DW 900 N
Mains connection	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	1100 W	900 W
Max. delivery capacity / height	6000 l/h / 45 m	6000 l/h / 32 m
Max. immersion depth	12 m	7 m
Max. size of foreign particle	—	2.5 mm
Hose connection	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	15 m	10 m
Product weight	8.7 kg	8.9 kg
Automatic mode	•	—
Dry operation protection	•	—
Multi-stage pump wheels	•	•
High-quality mechanical seal	•	•
Overload switch	•	•
Integrated non-return valve	•	—
Stainless dirt screen	•	—
High-quality INOX high-grade steel pump housing	•	•
Article number	4171430	4170964

GARDEN PUMPS





GARDENPUMPS

	GE-GP 9041 E	GE-GP 5537 E
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	900 W	590 W
Max. delivery capacity / height	4100 l/h / 48 m	3750 l/h / 38 m
Max. suction height	8 m	8 m
Suction connection	33.3 mm (1") IT	33.3 mm (1") IT
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	1.5 m	1.5 m
Product weight	10.9 kg	7.3 kg
Water filler screw	•	•
Water drain screw	•	•
High-quality mechanical seal	•	•
Prefilter with integrated non-return valve	•	•
Carry handle	•	•
Suction hose included	—	—
Article number	4182275	4180134
		



GARDENPUMPS

	GC-GP 1250 N	GC-GP 1046 N
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1200 W	1050 W
Max. delivery capacity / height	5000 l/h / 50 m	4600 l/h / 48 m
Max. suction height	8 m	8 m
Suction connection	42 mm (1 1/4") ET	42 mm (1 1/4") ET
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	1.5 m	1.5 m
Product weight	9.8 kg	9.6 kg
Water filler screw	•	•
Water drain screw	•	•
High-quality mechanical seal	•	•
Prefilter with integrated non-return valve	—	—
Carry handle	•	•
Suction hose included	—	—
Article number	4181460	4181450
		



CLASSIC



CLASSIC

NEW



CLASSIC

GARDENPUMPS

	GC-GP 6538	GC-GP 6538 Set	GC-GP 6036
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	650 W	650 W	600 W
Max. delivery capacity / height	3800 l/h / 36 m	3800 l/h / 36 m	3600 l/h / 40 m
Max. suction height	8 m	8 m	8 m
Suction connection	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") IT
Pressure connection	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") IT
Power cord	1.4 m	1.4 m	1.5 m
Product weight	6.1 kg	6.1 kg	9.5 kg
Water filler screw	•	•	•
Water drain screw	•	•	•
High-quality mechanical seal	•	•	—
Prefilter with integrated non-return valve	—	—	—
Carry handle	•	•	•
Suction hose included	—	• (7 m)	—
Article number	4180280	4180283	4180269
	 4 006825 603477	 4 006825 606256	 4 006825 623567



AUTOMATIC WATER WORKS



EXPERT



EXPERT

AUTOMATIC WATER WORKS

	GE-AW 9041 E	GE-AW 5537 E
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	900 W	590 W
Max. delivery capacity / height	4100 l/h / 48 m	3750 l/h / 38 m
Max. pressure	4.8 bar	3.8 bar
Max. suction height	8 m	8 m
Suction connection	33.3 mm (1") IT	33.3 mm (1") IT
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	1.5 m	1.5 m
Product weight	11.9 kg	7.8 kg
Automatic mode	•	•
Timer function	—	—
Dry operation protection	•	•
Indicator	—	—
Water filler screw	•	•
Water drain screw	•	•
ECO Power	•	•
Prefilter with integrated non-return valve	•	•
Carry handle	•	•
Article number	4177004	4176654



CLASSIC



CLASSIC



CLASSIC

AUTOMATIC WATER WORKS

	GC-AW 1136	GC-AW 9036	GC-AW 6333
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	1100 W	900 W	630 W
Max. delivery capacity / height	3600 l/h / 46 m	3600 l/h / 43 m	3300 l/h / 36 m
Max. pressure	4.6 bar	4.3 bar	3.6 bar
Max. suction height	7 m	7 m	8 m
Suction connection	42 mm (1 1/4") ET	42 mm (1 1/4") ET	42 mm (1 1/4") ET
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	1.5 m	1.5 m	1.5 m
Product weight	10.7 kg	9.9 kg	7.8 kg
Automatic mode	•	•	•
Timer function	•	—	—
Dry operation protection	•	•	•
Indicator	LCD	LED	LED
Water filler screw	•	•	•
Water drain screw	•	•	•
ECO Power	—	—	—
Prefilter with integrated non-return valve	•	•	•
Carry handle	•	•	•
Article number	4176716	4176720	4176730

WATER WORKS



EXPERT



EXPERT

WATERWORKS

	GE-WW 9041 E	GE-WW 5537 E
Mains connection	230 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	900 W	590 W
Max. delivery capacity / height	4100 l/h / 48 m	3750 l/h / 38 m
Max. suction height	8 m	8 m
Tank volume	20 l	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar	1.5 bar / 3 bar
Suction connection	33.3 mm (1") IT	33.3 mm (1") IT
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	1.5 m	1.5 m
Product weight	16.6 kg	11.9 kg
Overload protection	•	•
Water filler screw	•	•
Water drain screw	•	•
INOX stainless steel pressure tank	•	—
Prefilter with integrated non-return valve	•	•
Pressure gauge	•	•
ECO Power	•	•
Suction hose included	—	—
Article number	4173444	4173175



CLASSIC



CLASSIC

WATERWORKS

	GC-WW 1250 NN	GC-WW 1046 N
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz
Rated input	1200 W	1050 W
Max. delivery capacity / height	5000 l/h / 50 m	4600 l/h / 48 m
Max. suction height	8 m	8 m
Tank volume	20 l	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar	1.5 bar / 3 bar
Suction connection	42 mm (1 1/4") ET	42 mm (1 1/4") ET
Pressure connection	33.3 mm (1") IT	33.3 mm (1") IT
Power cord	1.5 m	1.5 m
Product weight	14.7 kg	14.4 kg
Overload protection	•	•
Water filler screw	•	•
Water drain screw	•	•
INOX stainless steel pressure tank	•	—
Prefilter with integrated non-return valve	—	—
Pressure gauge	•	•
ECO Power	—	—
Suction hose included	—	—
Article number	4173490	4173480



CLASSIC




CLASSIC



NEW

CLASSIC

WATERWORKS

	GC-WW 6538	GC-WW 6538 Set	GC-WW 6036
Mains connection	220 - 240 V ~ 50 Hz	220 - 240 V ~ 50 Hz	230 V ~ 50 Hz
Rated input	650 W	650 W	600 W
Max. delivery capacity / height	3800 l/h / 36 m	3800 l/h / 36 m	3600 l/h / 40 m
Max. suction height	8 m	8 m	8 m
Tank volume	20 l	20 l	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar	1.5 bar / 3 bar	1.5 bar / 3 bar
Suction connection	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") IT
Pressure connection	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") IT
Power cord	1.4 m	1.4 m	1.5 m
Product weight	10.5 kg	10.5 kg	14.3 kg
Overload protection	•	•	•
Water filler screw	•	•	•
Water drain screw	•	•	•
INOX stainless steel pressure tank	—	—	—
Prefilter with integrated non-return valve	—	—	—
Pressure gauge	•	•	•
ECO Power	—	—	—
Suction hose included	—	7 m	—
Article number	4173190	4173193	4173118
			



PETROL WATER PUMPS



CLASSIC

PETROLWATERPUMPS

	GE-PW 45	GH-PW 18
Engine	4-stroke	4-stroke
Power	4.8 / 6.5	1.8 / 2.5
Max. delivery capacity / height	23000 l/h / 26 m	12000 l/h / 20 m
Max. suction height	6.5 m	6.5 m
Max. speed	3600 min ⁻¹	3800 min ⁻¹
Suction connection	59.6 mm (2") ET	47.8 mm (1½") ET
Pressure connection	59.6 mm (2") ET	47.8 mm (1½") ET
Fuel tank capacity	3.6 l	1.4 l
Product weight	23.0 kg	11.2 kg
Sturdy steel tube frame	•	—
Water filler port	•	•
Water drain screw	•	•
Oil filling screw	•	•
Low oil stop	•	•
Accessories Set (for GH-PW 18) incl.	—	•
Accessories Set (for GE-PW 45) incl.	•	—
Article number	4171370	4171390



STANDARD ACCESSORIES GH-PW 18

- 2x hose adapters 38.1 mm (1.5")
- 1x strainer 38.1 mm (1.5") (hose connector)
- 2x reducers onto 33.3 mm (R1") external thread

Included with the GH-PW 18 – not available separately as an accessory!



STANDARD ACCESSORIES GE-PW 45





- 2x adapters 50,8 mm (2") (hose connector)
- 2x adapters 33,3 mm (R1) AG (thread connector)
- 2x adapters 47,8 mm (R1½) AG (thread connector)
- 1x strainer 50,8 mm (2") (hose connector)

Included with the GE-PW 45 – not available separately as an accessory!

WATERING – ACCESSORIES





WATERING ACCESSORIES

	Suction Hose	Suction Hose	Suction Hose	Suction Hose
Length	4 m	4 m	7 m	7 m
Connectors material	Brass	Plastic	Brass	Plastic
Connectors	42 mm (1¼") IT	42 mm (1¼") IT	42 mm (1¼") IT	42 mm (1¼") IT
Hose diameter	25 mm (1")	25 mm (1")	25 mm (1")	25 mm (1")
Threaded nipple	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") ET	33.3 mm (1") ET
Adapter	–	33.3 mm (1") IT	–	33.3 mm (1") IT
Article number	4173630	4173635	4173640	4173645
				




WATERING ACCESSORIES

	Coarse Filter	Coarse Filter
Height of filter insert	12 cm	25 cm
Cartridge included	•	•
Article number	4173801	4173851
		



WATERING ACCESSORIES

	Electronic Flow Switch
Article number	4174221
	



POWER X-CHANGE



Article description	Art. No.	EAN		
2.0 Ah Power X-Change Battery	45.113.95	4006825610369	4 006825 610369	
3.0 Ah Power X-Change Battery	45.113.41	4006825590593	4 006825 590593	
4.0 Ah Power X-Change Battery	45.113.96	4006825610376	4 006825 610376	
2.6 Ah Power X-Change Plus Battery	45.114.36	4006825616590	4 006825 616590	
5.2 Ah Power X-Change Plus Battery	45.114.37	4006825616606	4 006825 616606	
Power X-Charger	45.120.11	4006825587029	4 006825 587029	
Power X-Twin Charger 3 A	45.120.69	4006825629729	4 006825 629729	
Power X-Boost Charger 6 A	45.120.64	4006825629019	4 006825 629019	

POWER X-CHANGE



Article description	Art. No.	EAN		
2.0 Ah Power X-Change Battery	45.113.95	4006825610369	4 006825 610369	
3.0 Ah Power X-Change Battery	45.113.41	4006825590593	4 006825 590593	
4.0 Ah Power X-Change Battery	45.113.96	4006825610376	4 006825 610376	
2.6 Ah Power X-Change Plus Battery	45.114.36	4006825616590	4 006825 616590	
5.2 Ah Power X-Change Plus Battery	45.114.37	4006825616606	4 006825 616606	
Power X-Charger	45.120.11	4006825587029	4 006825 587029	
Power X-Twin Charger 3 A	45.120.69	4006825629729	4 006825 629729	
Power X-Boost Charger 6 A	45.120.64	4006825629019	4 006825 629019	

Chainsaws / Chain Sharpener		Leaf Blowers / Leaf Vacuums		Grass/Shrub Shears Pruning Saw	
•	GE-LC 36/35 Li - Solo	•	•	•	•
•	GE-LC 18 Li Kit	•	•	•	•
•	GE-LC 18 Li - Solo	•	•	•	•
•	GE-CS 18 Li - Solo	•	•	•	•
•	GE-CL 18 Li Kit	•	•	•	•
•	GE-CL 18 Li E Kit	•	•	•	•
•	GE-CL 18 Li E - Solo	•	•	•	•
•	GE-CL 36 Li E - Solo	•	•	•	•
•	GE-LB 36 Li E - Solo	•	•	•	•
•	GE-CG 18 Li - Solo	•	•	•	•
•	GE-GS 18 Li - Solo	•	•	•	•
•	GE-PM 53 S HW-E Li	•	•	•	•
•	GE-PM 48 S HW-E Li	•	•	•	•
•	GE-CM 36/47 HW Li	•	•	•	•
•	GE-CM 43 Li M Kit	•	•	•	•
•	GE-CM 36 Li M Kit	•	•	•	•
•	GE-CM 36 Li Kit	•	•	•	•
•	GE-CM 33 Li Kit	•	•	•	•
•	GE-CM 18/30 Li	•	•	•	•
•	GE-SC 35/1 Li Solo	•	•	•	•
•	GE-CR 30 Li - Solo	•	•	•	•
•	AGILLO	•	•	•	•
•	GE-CT 36/30 Li E - Solo	•	•	•	•
•	GE-CT 18 Li - Solo	•	•	•	•
•	GE-CT 18 Li Kit	•	•	•	•
•	GC-CT 18/24 Li - Solo	•	•	•	•
•	GC-CT 18/24 Li P	•	•	•	•
•	GE-CC 18 Li Kit	•	•	•	•
•	GE-CC 18 Li - Solo	•	•	•	•
•	GE-CH 1855/1 Li Kit	•	•	•	•
•	GE-CH 1855/1 Li - Solo	•	•	•	•
•	GE-CH 1846 Li Kit	•	•	•	•
•	GE-CH 1846 Li - Solo	•	•	•	•
•	GE-HC 18 Li T Kit	•	•	•	•
•	GE-HC 18 Li T - Solo	•	•	•	•
•	GE-LC 18 Li T Kit	•	•	•	•
•	GE-LC 18 Li T - Solo	•	•	•	•
•	GE-HH 18/45 Li T Kit	•	•	•	•
•	GE-HH 18/45 Li T - Solo	•	•	•	•

Information provided in the Power X-Change accessories table shows the recommended rechargeable battery capacities for perfect results

Information provided in the Power X-Change accessories table shows the recommended rechargeable battery capacities for perfect results

Lawn Mowers

GE-HM 38 S	GE-HM 38 S-F	GE-CM 36/47 HW Li	GE-CM 43 Li M	GE-CM 36 Li M	GE-CM 36 Li	GE-CM 33 Li	GE-CM 18/30 Li
------------	--------------	-------------------	---------------	---------------	-------------	-------------	----------------

Article description	Art. No.	EAN	GE-HM 38 S	GE-HM 38 S-F	GE-CM 36/47 HW Li	GE-CM 43 Li M	GE-CM 36 Li M	GE-CM 36 Li	GE-CM 33 Li	GE-CM 18/30 Li
Ersatzmesser	34.045.53	4 006825 633092								•
Ersatzmesser	34.054.20	4 006825 602661								
Ersatzmesser	34.054.30	4 006825 595376								
Ersatzmesser	34.054.40	4 006825 595369								
Ersatzmesser	34.054.50	4 006825 577488								
Ersatzmesser	34.054.51	4 006825 610604				•				
Ersatzmesser	34.054.52	4 006825 610611							•	
Ersatzmesser	34.054.55	4 006825 631050				•				
Ersatzmesser	34.054.60	4 006825 572964								
Ersatzmesser	34.054.85	4 006825 584509					•	•		
Ersatzmesser	34.055.28	4 006825 548877								
Ersatzmesser	34.055.29	4 006825 548884								
Ersatzmesser	34.055.90	4 006825 563108								
Ersatzmesser	34.056.00	4 006825 541007								
Ersatzmesser	34.056.05	4 006825 541014								
Ersatzmesser	34.056.10	4 006825 541038								
Ersatzmesser	34.056.60	4 006825 605273								
Ersatzmesser	34.056.80	4 006825 608670								
Ersatzmesser	34.057.85	4 006825 600735								
Ersatzmesser	34.058.15	4 006825 619232								
Ersatzmesser	34.058.20	4 006825 630442								
Ersatzmesser	34.058.25	4 006825 630466								
Ersatzmesser	34.058.30	4 006825 630480								
Ersatzmesser	34.058.35	4 006825 631111								
Kombimesser	34.058.00	4 006825 608786								
Kombimesser	34.058.05	4 006825 608793								
Kombimesser	34.058.10	4 006825 608809								
Mulchmesser	34.056.50	4 006825 605266								
Mulchmesser	34.056.70	4 006825 605280								
Mulchmesser	34.056.81	4 006825 608663								
Mulchmesser	34.058.40	4 006825 631128								
Grasfangkorb	34.211.12	4 006825 609707	•	•						



LAWN MOWERS

SPARE BLADES

DIV.

SCARIFIERS / AERATORS

CATCH BAGS



AERATOR / CUTTER ROLLERS



GROUT CLEANERS



LAWN TRIMMERS / SCYTHES

LINE SPOOLS



BLADES



Article description	Art. No.	EAN		
Catch bag	34.055.75	4006825605150	4 006825 605150	
Catch bag	34.055.76	4006825608359	4 006825 608359	
Catch bag	34.055.77	4006825629699	4 006825 629699	
Spare aerator roller	34.055.70	4006825544152	4 006825 544152	
Spare aerator roller	34.055.71	4006825608601	4 006825 608601	
Spare aerator roller	34.055.72	4006825629675	4 006825 629675	
Spare aerator roller	34.211.09	4006825552942	4 006825 552942	
Spare aerator roller	34.211.25	4006825575156	4 006825 575156	
Spare aerator roller	34.211.35	4006825606331	4 006825 606331	
Spare cutter roller	34.055.80	4006825544176	4 006825 544176	
Spare cutter roller	34.055.81	4006825608366	4 006825 608366	
Spare cutter roller	34.055.82	4006825629682	4 006825 629675	
Spare cutter roller	34.200.21	4006825603309	4 006825 603309	
Spare cutter roller	34.211.08	4006825549201	4 006825 549201	
Spare cutter roller	34.211.20	4006825575149	4 006825 575149	
Spare cutter roller	34.211.30	4006825606324	4 006825 606324	
Ersatz-Bürste Stahl	34.241.00	4006825569919	4 006825 569919	
Ersatz-Bürste Nylon	34.241.10	4006825569926	4 006825 569926	
Line spool	34.050.60	4006825545579	4 006825 545579	
Line spool	34.050.75	4006825618723	4 006825 618723	
Line spool	34.050.86	4006825546019	4 006825 546019	
Line spool	34.050.92	4006825619447	4 006825 619447	
Line spool	34.050.96	4006825632767	4 006825 632767	
Line spool	34.052.20	4006825558975	4 006825 558975	
Line spool	34.052.40	4006825598643	4 006825 598643	
Line spool	34.056.85	4006825610680	4 006825 610680	
Line spool	34.056.90	4006825599237	4 006825 599237	
Line spool	34.056.95	4006825599213	4 006825 599213	
Spare blades set (for lawn trimmer)	34.057.30	4006825560404	4 006825 560404	
Spare blade (for scythes)	34.049.95	4006825560220	4 006825 560220	
Spare blade (for scythes)	34.049.96	4006825607239	4 006825 607239	
Spare blade (for scythes)	34.050.81	4006825546026	4 006825 546026	
Spare blade (for scythes)	34.050.82	4006825632774	4 006825 632774	
Spare blade (for scythes)	34.052.30	4006825598636	4 006825 598636	


Scarifiers / Aerators	Grout Cleaners	Lawn Trimmers / Scythes
GE-SC 35/1 Li		
GE-SA 1640		
GE-SA 1435		
RG-SA 1433		
GC-SA 1231/1		
GC-ES 1231/1		
GC-SA 1231		
GC-ES 1231		
GE-SA 1335 P		
GC-SC 2240 P		
GE-CC 18 Li		
GC-EG 1410		
GE-CT 36/30 Li E		
AGILLO		
GE-CT 18 Li		
GC-CT 18/24 Li		
GC-CT 18/24 Li P		
RG-ET 7535		
GE-ET 5027		
GE-ET 4526		
GC-ET 4530 Set		
GC-ET 4526		
GC-ET 4025		
GC-ET 3023		
GC-ET 2522		
GC-PT 2538 I AS		
GE-BC 43 AS		
GE-BC 33 AS		
GH-BC 33-4 S		
GC-BC 31-4 S		
GC-BC 52 I AS		
GC-BC 43 I AS		
GH-BC 43 AS		
GC-BC 30 AS		
GC-BC 25 AS		
GH-BC 25 AS		

POLE-MOUNTED PRUNERS

DIV.

CHAINS

BARS



Article description	Art. No.	EAN		
Spare battery	34.107.03	4006825583120		
Spare chain	45.001.21	4006825569117		
Spare chain	45.001.23	4006825580037		
Spare chain	45.001.87	4006825615333		
Spare chain	45.001.88	4006825606355		
Spare bar	45.001.17	4006825569100		
Spare bar	45.001.18	4006825580044		
Spare bar	45.001.67	4006825615456		
Spare bar	45.001.68	4006825606348		

CHAINSAWS / CHAIN SHARPENERS

CHAINS

BARS

GRINDING DISCS



Spare chain	45.001.71	4006825548846		
Spare chain	45.001.72	4006825600926		
Spare chain	45.001.76	4006825548839		
Spare chain	45.001.78	4006825610321		
Spare chain	45.001.96	4006825632231		
Spare chain	45.003.20	4006825578126		
Spare chain	45.017.54	4006825607024		
Spare bar	45.001.51	4006825548907		
Spare bar	45.001.56	4006825548778		
Spare bar	45.001.62	4006825610314		
Spare bar	45.001.97	4006825632248		
Spare bar	45.003.32	4006825546637		
Spare bar	45.003.44	4006825594188		
Spare bar	45.017.53	4006825607017		
Replacement 4.5 mm grinding wheel	45.000.71	4006825548853		
Replacement 3,2 mm grinding wheel	45.000.76	4006825548860		
Replacement 4.5 Pro grinding wheel	45.999.80	4006825552874		
Replacement 3.2 Pro grinding wheel	45.999.90	4006825552881		

SHREDDERS



Spare blade for shredders	34.059.30	4006825595680		
---------------------------	-----------	---------------	--	--

WATERING

DIVERSE

HOSES



Electronic flow switch	41.742.21	4006825549225		
12 cm Prefilter with cartridge	41.738.01	4006825549188		
25 cm Prefilter with cartridge	41.738.51	4006825549195		
4 m Suction hose with brass connectors	41.736.30	4006825549133		
4 m Suction hose with plastic connectors	41.736.35	4006825549058		
7 m Suction hose with brass connectors	41.736.40	4006825549171		
7 m Suction hose with plastic connectors	41.736.45	4006825549102		

SALES SUPPORT

POS | SHOP IN SHOP SYSTEMS



- **Battery-Competence-Shop**
360 x 320 cm
(Art. No. 720123 - on request)



- **Shop-in-Shop – Crane**
160 x 360 cm / 320 x 360 cm
(On request)

PRINTPRODUCTS



- **Flyers / Folders**



- **Brochures**

POS | PERMANENT SECONDARY DISPLAYS



■ Island display „Power X-Change Garden“ 120 x 80 cm
(Art. No. 720141)

■ Island display 2 Euro pallet 120 x 80 cm
(Art. No. 720100)

■ Display „Rotary Hammers“ - Euro pallet 120 x 80 cm
(Art. No. 720150)



■ Display „Power X-Change - Tools“ Half pallet 80 x 60 cm
(Art. No. 562016)

■ Display „Power X-Change - Tools 2“ Half pallet 80 x 60 cm
(Art. No. 562019)

■ Display „Power X-Change - Garden“ Half pallet 80 x 60 cm
(Art. No. 562015)

■ Display „Power X-Change - Garden 2“ Half pallet 80 x 60 cm
(Art. No. 562018)

GARDEN 2018

Is there anything you´d like to ask us about our products?
Would you like to order a part?
Your product isn´t working as it should?

We´re at your service!
We´ll get you some help – fast and without any fuss.



ISC GmbH, Eschenstr. 6,
94405 Landau/Isar,
Deutschland



+ 49 (0) 9951 959 2000



(Landline charge 14 cents / min)
(Cell phone charge 42 cents / min)

+ 49 (0) 1805 835 830



WWW

isc-gmbh.info



Info@isc-gmbh.info

Einhell Germany AG
Wiesenweg 22
94405 Landau / Isar – Germany
info@einhell.com – www.einhell.com



einhell.com

>>>